



The VOIP Enabler »





## Company Overview

Cohesive Technologies is a renowned Global Telecom service provider working on the platform of IP and VoIP. We are working with our technology partners like Cyberdata, Grandstream, Digium, Epygi, Milesight Wi-Tek and Yeastar who support us in offering innovative products and solutions for the premise or Cloud-based requirements.

## Vision

The company is aimed to work on the VOIP technology in a highly affordable and innovative manner. Our main vision is to allow the success & satisfaction of our employees, partners and customers who are connected with us by using our Products & Solutions.

We pull our deep expertise and profound appreciative of client's business province areas and needs to create a personalized solution for their individual business requirements. We Work & Play with transparency, trust & team work, We feel proud on every thing we do and make sure that everyone who is connected with us feel the same.

Recognized for the disciplined approach towards offering the best value of pleasure to every customer, we shake hand with!

## Our Customers



## Why Choose Us ?

### Clients

Cohesive Technologies has more than thousands of customers, starting from individual households to counting some large multi-national organizations. If you are attracted in speaking to any of the clients in order to have a referral, it can be arranged.

### Top Market Technology

The service merges market top leading technology. We can offer the best, reliable technology and modify it to your business right away.

### Full Solution Centre

The company can help you with not just with the telephony, but also the connectivity and network infrastructure as well.

### Consultancy

Cohesive Technologies offers a Consultancy and Demo of our Product & Services permitting you to experience it earlier to making your choice. The trial comprises the full support, understanding your Problem and guiding with right Solution.

## Technology Partners



## Awards Recognition



## Product Portfolio



Carrier-Grade, High End, Basic & Residential SIP Phones

Mid-Range IP Phones  
Cordless & Soft Apps for  
Android & iOS



IP Video Phones &  
Multimedia Phone  
Solutions

ATA & Enterprise Analog,  
GSM & ISDN Gateways  
(BRI & PRI)



Asterisk Hardware

IP PBX Appliances  
with Redundancy  
& UC Application



Video & Audio  
Conferencing Solution

Gigabit Router &  
Wireless Access Point



IP Video Surveillance  
Solutions & Network  
PoE Switches

4K Network Video  
Recorders



SIP Doors Intercoms &  
Video Door Phone

SIP - Public Address  
System



SIP Contact Centre  
Solutions



## Basic IP Phones



**GXP1610/1615**  
2 lines, 1 SIP account,  
(Non-PoE/PoE),  
132x48 LCD screen,  
3XML, 3-way conf.



**GXP1620/1625**  
2 lines, 2 SIP accounts,  
(Non-PoE/PoE),  
132x48 Backlit,  
3XML, 3-way conf.



**GXP1628**  
2 lines, 2 SIP accounts,  
PoE, 132x48  
Backlit LCD, 3 XML,  
Gigabit Ports, 8 BLF Keys



**GXP1630**  
3 lines, 3 SIP accounts,  
PoE, 132x64  
Backlit LCD, 3 XML,  
Gigabit Ports, 8 BLF Keys



**GXP1760W**  
6 lines, 3 SIP account,  
4XML, 5-way conf., PoE,  
WiFi-enabled, HD wideband audio,  
Built-in USB port



**GXP1782**  
8 lines, 4 SIP account,  
4XML, 5-way conf., PoE,  
Built-in USB port,  
Dual-switched Gigabit  
ports



**WP820**  
WiFi IP Phone,  
Bluetooth, HD Voice,  
Security

## High End IP Phones & Extension Modules



**GXP2130**  
3 lines, 3 SIP accounts,  
4 way conference,  
PoE, 8 BLF dial keys



**GXP2135**  
8 lines, 4 SIP accounts,  
4 way conference,  
Dual switched, built-in PoE



**GXP2140**  
4 lines, 4 SIP accounts,  
5 way conf.,  
PoE, Bluetooth



**GXP2160**  
6 lines, 6 SIP accounts,  
5 way conf.,  
PoE, Bluetooth



**GXP2170**  
12 lines, 6 SIP accounts,  
5 way conf.,  
PoE, Bluetooth



**GXP2200EXT**  
Extension Module (20 Keys/ 2 Pages)  
(works with GXP2140/2170  
& GXP2160)

## Carrier-Grade IP Phones



**GRP2612(P/W)**  
2 SIP accounts, 2.4" LCD, 16  
VPKs, GDMs, swappable face-  
plate, PoE(GRP2612P),  
WiFi(GRP2612W)



**GRP2613**  
3 SIP accounts, 2.8" LCD,  
24 VPKs, GDMs,  
swappable faceplate



**GRP2614**  
4 SIP accounts, 40VPKs,  
Dual LCDs (2.8" + 2.4"),  
GDMs, swappable faceplate,  
WiFi, Bluetooth,  
2x Gigabit ports,

## IPVideoTalk (Web | Room)



**IPVideoTalk**  
1080p HD video resolutions,  
Attend meetings on any PC, Mac,  
iOS and Android device.



**IPVT10**  
(16/25/36/49/98/120 Party MCU options)  
Enterprise Video Conferencing  
Server, Supports up to 300  
participants

## Multimedia IP Phones



**GXV3240**  
6 lines, 6 SIP accounts,  
Android, 4.3" Touchscreen,  
6-way audio conf.  
& 3-way video conf.



**GXV3370**  
16 lines, 16 SIP accounts,  
Android, 7" Touchscreen,  
7-way audio conf.  
& 3-way video conf.



**GXV3275**  
6 lines, 6 SIP accounts,  
Android, 7" Touchscreen,  
6-way audio conf.  
& 3-way video conf.



**GXV3380**  
16 lines, 16 SIP accounts,  
Android, 8" Touchscreen,  
7-way audio conf.  
& 3-way video conf.  
2 MP camera, 1080p HD video output

## IP PBX Appliances



**UCM6202/6204/6208**  
2/4/8 FXO ports, 2 FXS Ports,  
500/500/800 Users,  
50/75/100 concurrent calls,  
PoE/USB/SD Support



**UCM6510/HA100**  
1 E1/2000 Extn.  
Voice Logger/  
Connects and constantly monitors  
two UCM6510 together  
for high availability



**GSC3510/3505**  
2-Way audio / 1-Way audio,  
Bluetooth, WiFi, PoE/PoE+,  
Full-band and wide-band  
codec support

## ISDN Gateway



**GXW4500 Series**  
1/24 - E1/T1/J1  
support 30, 60, or 120  
concurrent calls, Dual Gigabit Ports,  
Configurable NAT Router, 2 USB Ports,  
SD Card Slot(Extra Memory)



**GXW4104/4108**  
4/8 FXO Ports,  
Supports 3-way voice  
conferencing



**GXW4216/4224/  
4232/4248**  
16/24/32/48 FXS Ports,  
Supports 3-way voice  
conferencing

## Analog VoIP Gateways



**GVC3200/3202**  
**Video Conf.**  
Supports SIP/Bluetooth/WiFi,  
1080p Full-HD video, up to 9-way/3-way  
video conf., support for 3/2 monitor outputs  
through 3/2 HDMI outputs, 1\*HDMI in



**GVC3210**  
**Video Conf.**  
Supports SIP/Bluetooth/WiFi,  
4K Resolution, 16 Megapixel CMOS,  
Lens - 90° field of view, ePTZ  
Integrated 1\*HDMI in,  
2\* HDMI out, 2\*USB



**GAC2500**  
**Audio Conf.**  
6 lines, 6 SIP accounts, Supports  
WiFi/Bluetooth, 7-way voice conf.  
Runs Android 4.4 & offers full access to  
the Google Play Store & all Android apps,  
such as Skype, Google Hangouts & more

## Gigabit Router & Indoor/Outdoor Access Points



**GWN7000**  
7 Gigabit Ports  
(2 WAN + 5 LAN),  
300+ GWN WiFi APs,  
3G/4G/LTE,  
VPN including PPTP, L2TP,  
IPSec and Open VPN



**GWN7600/7610/7630**  
16/16/15 SSIDs per radio,  
Support 450+ / 250+ / 200 devices,  
PoE / PoE-PoE+,  
2x2:2 / 3x3:3 / 4x4:4  
MU-MIMO Technology,  
165 / 175 Meter range,  
50 AP embedded controller



**GWN7600LR**  
450+ WiFi clients,  
30 AP embedded  
controller, beam-forming  
technology,  
300-meter coverage range



**GDS3710**  
1080p Full HD Video,  
PoE, 2x Alarm-In,  
2x Alarm-Out, RS485,  
Wiegand Input/Output.



**GDS3705**  
HD audio,  
1.5m Mic, 3m speaker range,  
Integrated RFID card reader, PoE,  
Alarm in, Alarm out



**HT801/802/812/814/818**  
1/2/2/4/8 Lines,  
1/2/2/4/8 FXS ports, 3-way conf.,  
Integrated NAT Router  
- No/No/Yes/Yes/Yes



**HT813**  
Supports 2 SIP profiles  
through 1 FXS port  
and 1 FXO port, Dual 100Mbps  
LAN and WAN ports, 3-way  
voice conferencing per port



### Yeastar FXO/FXS Analog Gateway



**TA410/810/1610**  
4/8/16 FXO Ports,  
SIP (RFC3261), IAX2 protocol



**TA2400**  
24 FXS Ports, SIP (RFC3261),  
IAX2 protocol

### Yeastar GSM/4G LTE Gateways & IPPBX



**TG100/400/800/1600**  
Support SIP Protocol,  
1/4/8/16 GSM Channel



**TG200L/400L/800L**  
Support SIP Protocol,  
2/4/8 LTE Channel


**S20**  
20 Users,  
10 Concurrent Calls  
Up to 4 FXS/FXO/BR/ Ports,  
Up to 1 GSM/3G/4G Channel

**S100**  
Users 100 (up to 200),  
Max Concurrent Calls 30 (up to 60),  
Up to 16 FXS/FXO/BR/ Ports,  
6 MAX GSM/3G/4G Ports

### Yeastar IPPBX & SoftClient



**S412**  
20 Users, 8 Max Concurrent Calls  
12 Max FXS Ports,  
4 Max FXO/BR/ Ports,  
2 MAX GSM/3G/4G Ports



**S300**  
300 Users (up to 500),  
60 Concurrent Calls (up to 120)  
Up to 24 FXS/FXO/BR/ Ports,  
Up to 6 GSM/3G/4G Channels,  
Up to 3 E1/T1/PRI Ports



Enterprise Directory with  
Presence/IM/SRTP/  
Conf. (iOS & Android)



IM/Presence/  
CRM Integration/  
File Sharing/Directory  
(Mac/Windows)

### CyberData Industrial IP Phones



**011460**  
SIP Weatherproof  
Keypad Phone



**011462**  
SIP Armored Steel  
Ringdown Phone



**011461**  
SIP Vandal Resistant  
Keypad Phone



**011463**  
SIP Heavy Duty  
Emergency  
Keypad Call Station

### SIP Video Intercom w & w/o Keypad



**Video Outdoor Intercom**  
(Also support InformaCast)  
Point to Point Configurable,  
eliminating need for VoIP  
video phone with  
CyberSoftPhone



**Outdoor w/(w/o)  
Keypad**



**SIP Indoor w/(w/o)  
Keypad Intercom**  
(Wall Mount)



**SIP Indoor w/(w/o)  
Keypad Intercom**  
(Flush Mount)



**SIP  
Emergency  
Intercom**



**Access  
Control  
RFID/Keypad**

### SIP Outdoor & Indoor Intercom w/o Camera, w/wo Keypad as an Option (Also support InformaCast)

### Secure Access Control

### IP Paging/Notification & VoIP Accessories with Talk Back (SIP/InformaCast/Multicast)



**Speaker**  
Plays audio from multicast/  
Available also in SIP.  
Talk Back Speaker  
enables full-duplex two-way  
conversations in settings  
in classrooms, offices, and clinics



**Microphone**  
while pressing the  
"Page" button,  
to broadcast a live



**Wall Mount  
/Ceiling tile  
drop speaker**  
playing audio  
from a  
multicast source.



**RGB  
Strobe  
(Indoor/Outdoor)**  
the wall-mounted  
RGB Strobe  
operates as a  
visual alerting device



**PoE  
Digital Clock**  
Configurable daylight  
saving - automatic  
adjustment daylight  
savings or standard time

### SIP IP66 Outdoor Speaker Horn



**SIP IP66 Outdoor  
Speaker Horn**  
(InformaCast/Multicast)  
a loud IP-based overhead  
paging system for loud areas,  
warehouses, manufacturing areas,  
and outdoor areas.

### SIP Paging Amplifier & Horn Loudspeaker



**Amplifier**  
(InformaCast/Multicast)  
Amplifier - AC Powered/PoE  
A PAS that needs to be loud to  
your VoIP network,  
9 user-uploadable  
page messages



**IP66 Analog  
Horn Speaker**  
Weather and corrosion  
resistant design,  
Adjustable mounting base

### SIP Server with Bell Scheduler



**Bell Scheduler**  
scheduled notifications to be  
sent to different multicast zones and legacy  
analog paging systems, Perfect for schools,  
universities, manufacturing or any  
environment where scheduled  
audio notification is paramount.

### SIP Paging Adapter



**1 & 4 port  
Audio Out**  
Two SIP extensions,  
Voice prompt pass code  
and page control, Now Supports  
Up To 9 Stored Messages,  
Night Ringer

### Digium Switchvox E-Series Appliances



**Switchvox  
E510**  
support up to  
150 phones  
and up to  
50 concurrent calls,  
SSD storage



**Switchvox  
E520**  
support up to  
400 phones  
and up to  
100 concurrent calls,  
SSD storage



**Switchvox  
E530**  
support up to  
700 phones  
and up to  
200 concurrent calls,  
SSD storage,  
iDRAC8 Enterprise



**Switchvox  
E540**  
support up to  
1000 phones  
and up to  
200 concurrent calls,  
Mirrored SSD storage,  
iDRAC8 Enterprise

### Switchvox IP Phones



**D60/62**  
Dual 10/100 Mbps  
network ports/Dual  
10/100/1000 Mbps  
Gigabit network ports



**D65**  
Dual 10/100/1000 Mbps  
Gigabit network ports, 4 feature  
keys, 6 line appearance keys



**A20/22**  
2 line, rapid dial/busy lamp  
field keys - up to 1 key/  
1 contact, 2.8 inch, color



**A25**  
4 line, rapid dial/busy lamp field  
keys - up to 6 key/ 30 contact,  
2.8 inch main, 2.4 inch BLF,  
color



### Digium G-Series Appliances

**G800**: 8-port T1/E1/PRI, 240 concurrent calls  
**G400**: 4-port T1/E1/PRI, 120 concurrent calls  
**G200**: 2-port T1/E1/PRI, 60 concurrent calls  
**G100**: 1-port T1/E1/PRI, 30 concurrent calls  
**G080**: 8-port analog gateway, 8 concurrent calls



**D80 Touchscreen**  
Dual 10/100/1000 Mbps  
Gigabit network ports, 7-inch,  
High Definition



**A30**  
6 line, rapid dial/busy lamp field  
keys - up to 10 key/ 45 contact,  
4.3 inch, color



**Analog/Hybrid/Digital Cards**  
Analog Cards: 4/8/24 Ports in multiple combinations.  
Digital Cards: 1/2/4/8 Ports

### Asterisk IP Phones (A-series IP phones are not supported for use with switchvox)

### Digium VoIP Gateways/Telephony Card



## EPYGI - Unified Communication with Video Conferencing & Redundancy



**QX20**  
32 Extn. PBX  
with 8 Party VC  
& 16 AC



**QX50**  
50 Extn. PBX  
with 8 Party VC  
& 16 AC



**QX200**  
200 Extn. PBX  
with 16 Party VC  
& 32 AC



**QXFX04**  
4 FXO PSTN ports,  
1 Ethernet  
LAN & WAN Ports.



**QXE1T1**  
1 E1/T1 port,  
1 Ethernet  
LAN & WAN Ports  
with Survivability



**QX500**  
500 Extn. PBX  
with 24 Party VC & 48 AC



**QX3000**  
3000 Extn. PBX  
with 104 Party VC  
& 288 AC



**QXISDN4**  
4 ISDN BRI ports,  
1 Ethernet  
LAN & WAN Ports.



**QXFXS24**  
24 FXS Ports,  
1 Ethernet  
LAN & WAN Ports.

## H.265+ Starlight Premium Network Camera



### H.265+ Vandal-Proof Mini Dome\*

MS-CXX73-PB Series  
2/5 MP, 0.002Lux Starlight,  
Super WDR 140dB,  
IR Distance 25m, IP67, IK10  
VCA Supported (Optional)



### H.265+ AF Motorized Mini Dome\*

MS-CXX75-FPB Series  
2/5 MP, 0.002Lux Starlight, PoE,  
Built-in Microphone  
Super WDR, IP67 & IK10  
35m IR Distance, VCA Supported



### H.265+ Mini Bullet\*

MS-CXX64-FPB Series  
2/5/8(4k) MP, 0.002Lux Starlight,  
Super WDR 140dB, IP67 & IK10,  
IR Distance 50m,  
VCA Supported (Optional),  
P-Iris (Optional)



### H.265+ Mini Bullet\*

MS-CXX64-PB Series  
2/5 MP, IP67, IK10,  
3.6mm-5mm lens,  
140dB WDR,  
starlight 0.002Lux,  
IR Distance 30m,  
VCA Supported (Optional)

## H.265+ Motorized Pro Bullet/Mini PTZ Bullet/Speed Dome Network Camera



**Pro Bullet\***  
MS-CXX62-FPB Series  
2/5/8(4k) MP,  
0.002Lux Starlight,  
Super WDR 140dB,  
IR Distance 60m/100m  
(7mm-22mm lens),  
VCA Supported (Optional)  
IP67, IK10(Optional)



### Mini PTZ Bullet\*

MS-CXX61-(E)PB Series  
2/4/5 MP, 0.002Lux Starlight,  
12x Optical Zoom, Super WDR 140dB,  
255 Preset Points, 8 Patrols,  
360° Endless Pan,  
Tilt Range (-45°~30°),  
IR Distance 100m,  
VCA Supported (Optional)



### Speed Dome\*

MS-C2941-X30RBP/  
MS-C5341-X30HPB  
2/5 MP, 0.002Lux Starlight,  
Super WDR, 255 Preset Points,  
360° Endless Pan, IR Distance 200m,  
VCA Supported (Optional)  
30x/36x/42x Optical Zoom  
(36x / 42x will launch soon)



### Fisheye Camera\*

(MS-CXX74-PB Series)  
5/12 MP,  
ceiling mount 360°,  
wall mount 180°,  
flat mount 360°  
2 Built-in Microphones,  
Smart Control,  
IR Distance 15m

Coming Soon



### Mini PTZ Dome

360° Endless Pan, -5°~185° Tilt  
Starlight, IP67 & IK10,  
Smart PTZ Motion Detection,  
Auto Tracking, 140dB Super WDR  
8 Patrols and 4 Patterns

Coming Soon



### (LPR/ANPR) / Face Detection

The Cameras have the ability  
to detect & recognize the moving  
vehicle's plate number in the speed  
up to 120km/h. In Face Detection,  
it can automatically detect &  
capture face in high quality

## 180° Panoramic Mini Bullet



### Panoramic Mini Bullet\*

(MS-C5365-PB)  
5MP, 180° Panoramic View  
Smart IR II, IP67 & IK10, Built-in Microphone,  
8 Patrols and 4 Patterns,  
IR Distance up to 15m, Super WDR 120dB

## 5xxx 4k H.265 PoE NVR Series



### 4K H.265 PoE NVR 5000\*

(MS-N5008-UPT/MS-N5016-UPT)  
Network Video Input - (8-ch & 16-ch),  
2 SATA HDD (3.5"),  
10TB capacity for each HDD,  
440mm\*251mm\*44.4mm,  
3.5kg, Support HDMI and VGA



### 4K H.265 Pro NVR 5000\*

(MS-N5008-UT/MS-N5016-UT)  
Network Video Input - (8-ch & 16-ch),  
2 SATA HDD (3.5"),  
10TB capacity for each HDD,  
440mm\*251mm\*44.4mm,  
2.6kg, Support HDMI and VGA



### 4K H.265 Pro NVR 8000\*

(MS-N8032-UH/MS-N8064-UH)  
Network Video Input - (32-ch & 64-ch),  
8 SATA HDD (3.5"),  
10TB capacity for each HDD,  
440mm\*420mm\*88.2mm, 6.0kg,  
Support HDMI and VGA

\* BIS Certified as on date, for BIS latest Info, Please Contact Sales Team.

## Milesight Network Keyboard



### MS-K02

128X64 Blue Screen,  
4-axis joystick,  
Shortcut Keys for PTZ Control and NVR Control



### GXV3500

1 Channel Video  
Encoder + Decoder,  
Integrated PoE (802.3af),  
Full ONVIF compliance

## Milesight Applications



### VMS Lite/Pro

Connect up to 64 cameras  
/ It Use Client-Server architecture



### Milesight CMS

A central management system for  
Milesight cameras and  
network video recorders.



### M-Sight Pro

Support PTZ control,  
Wi-Fi/3G/4G network

## Unmanaged Network Switch



**WI-SG108**  
8x Gigabit Ethernet  
Switch with Steel Case,  
Support Port VLAN avoid  
broadcast storm



**WI-SG116F**  
16GE+2SFP  
Full Giga rack-mountable  
Ethernet Switch,  
Port VLAN



**WI-SG124F**  
24GE+2SFP Full  
Giga rack-mountable  
Ethernet Switch,  
Port VLAN



**WI-MS318GF**  
16GE+2SFP uplink  
Full Giga SNMP  
Managed Ethernet Switch,  
QoS, IGMP Snooping,  
QVLAN, LACP



**WI-MS326GF**  
24GE+2SFP  
uplink Full Giga  
SNMP Managed  
Ethernet Switch,  
QoS, IGMP Snooping,  
QVLAN, LACP

## Gigabit Unmanaged PoE Switch



**WI-PS308G**  
8GE+2GE  
uplink Full Giga 802.3af/at  
PoE Switch with  
8Port PoE



**WI-PS318GF**  
16GE+2SFP  
uplink Full Giga 802.3af/at  
PoE Switch with  
16Port PoE, PortVLAN



**WI-PS326GF**  
24GE+2SFP  
Full Giga 802.3af/at  
PoE Switch with  
24Port PoE, PortVLAN



**WI-PMS312GF**  
8GE+4Combo SFP  
Full Giga 802.3af/at Managed  
PoE Switch with 8 Port PoE,  
QoS, IGMP Snooping, LACP, QVLAN,  
SNMP, DHCP Snooping



**WI-PMS320GF**  
16GE+2Combo SFP Full Giga  
802.3af/at PoE Switch with  
16 Port PoE, QoS, IGMP Snooping,  
LACP, QVLAN,  
SNMP, DHCP Snooping



**WI-PMS328GF**  
24GE+4Combo SFP Full Giga  
802.3af/at PoE Switch with  
24Port PoE, QoS, IGMP Snooping,  
LACP, QVLAN,  
SNMP, DHCP Snooping

## VoIP Exclusive PoE Switch



**WI-PS505V**  
4FE+2FE uplink 250M  
Long Range  
VOIP PoE Switch  
with 4PoE Port



**WI-PS510V**  
8FE+2FE uplink  
250M Long Range  
VoIP PoE Switch  
with 8Port PoE



**WI-PS518GV**  
16FE+2GE+1SFP  
250M Long Range  
VoIP PoE Switch  
with 16Port PoE



**WI-PS526GV**  
24FE+2GE+2SFP  
250M Long Range  
VoIP PoE Switch  
with 24Port PoE



**WI-PS308GH**  
8 Gigabit Ports  
PoE Switch  
with 8Port PoE



**WI-PS306GF-UPS**  
5GE+1SFP Fiber  
PoE Switch with 5 PoE,  
Design for CCTV/IP  
Surveillance application

## 250 meters Long-Range CCTV PoE Switch



**WI-PS205**  
4FE+2FE uplink  
250M Long Range  
PoE Switch with 4PoE Port  
Ping Watchdog, Hi PoE



**WI-PS210G**  
8FE+2GE uplink  
250M Long Range  
PoE Switch with 8Port PoE  
Ping Watchdog, Hi PoE



**WI-PS518G**  
16FE+2GE+1SFP  
250M Long Range  
PoE Switch with 16Port PoE  
Ping Watchdog, Hi PoE



**WI-PS526G**  
24FE+2GE+2SFP  
250M Long Range  
PoE Switch with 24Port PoE  
Ping Watchdog, Hi PoE



**WI-PS206-I**  
4FE+2FE  
Industrial PoE Switch,  
PoE Ports - 4x100Mbps



**WI-PS306GF-I**  
4GE+2SFP Fiber  
Uplink Industrial PoE Switch,  
PoE Ports - 4x100Mbps

## FTTx Reverse PoE Switch



**WI-PS108R**  
8FE 24V Reverse PoE Port,  
Port1-7 for PoE In,  
Port8 for PoE Out



**WI-PS310GFR**  
8GE+2SFP Fiber  
uplink 24V Reverse  
PoE Switch,  
Support Port VLAN



**WI-PMS310GFR**  
Meta Case  
8GE+2SFP uplink  
Full Giga SNMP managed  
24V Reverse PoE Switch



**WI-PS308GR**  
8GE Full Giga  
24V Reverse PoE Switch,  
Port1-7 for PoE In,  
Port8 for PoE Out



**WI-PMS318GFR**  
16GE+2SFP uplink  
Full Giga SNMP managed  
24V Reverse PoE Switch  
PoE In -15, PoE Out - 1



**WI-PMS310GFR-O**  
Plastic Case  
8GE+2SFP uplink  
Full Giga SNMP managed  
24V Reverse PoE Switch



**WI-POE31/WI-POE51**  
2\*100Mbps RJ45 Ports with 1 PoE/  
2\*100Mbps RJ45 Ports with 1 PoE,  
Support camera, wireless AP,  
and IP phone etc.All ports support  
wire speed switch, jumbo frame  
transmission, Plug and play,  
self-adaption.



**WI-SFP10-20KM**  
20KM 1.25Gbps Single  
Fiber module Transceivers  
Distance up to 20km over SMF,  
Simplex SC connector,  
Compliant with SFP MSA,  
Digital Diagnostic Monitoring,  
Hot-pluggable SFP footprint

## L2 Managed Gigabit Network Switch

## Gigabit L2 Managed PoE Switch

## Economic 802.3af/at PoE Switch

## Solar UPS PoE Switch

## Industrial Unmanaged PoE Switch

## PoE Injector and Splitter

## Gigabit SFP Fibre Module





Cohesive Technologies came across as the most flexible team to design a Contact Centre Solution. We are very happy with the performance of the product & wish the very best to Cohesive Technologies for future endeavours.

Bhavneet Kaur (Sr. Product Manager)



Cohesive Technology not only understood our Requirements but did Acted as a solution architect & suggested us to integrate Help desk with Back office Solution. Their Knowledge not only on VoIP but also on TDM helped us integrate the Legacy Trunks with Contact Centre (Cradle) & State of Art IPPBX (Grand stream).

Rajesh Loomba (MD Eco Rent a Car)



## Esteemed Customers



Grandstream Video Phones GXV3275 in all 2800 Flats Configured on Unified Communication server of Grandstream (UCM6510\*2) connected to SIP Surveillance and SIP Door Phones on one Converged Platform by Cohesive Technologies helped us achieve the State of art technology with 3 Tier Security to all our Residents with Voice/Video and Mobility benefits.

Mr. Sunil Totlani (Director ABA Corp)



"Cohesive Technologies gave us solutions post understanding our requirements & optimising our existing infrastructure, they not only helped us the extensive Contact solutions integrating it with our TDM Nortel but also helped us with SIP PBX at Medanta Clinic & integrating it with Medanta Gurgaon."

Mr. Harmandeep  
(Infrastructure Head, Medanta the Medicity)



## Contact No's / Email Id (Branch Locations)

**Punjab/Himachal/J&K:** +91 9814081331 / pankaj@cohtechnologies.com, **Delhi:** +91 7290000544 / info@cohtechnologies.com, **Lucknow:** +91 9953001581 / lucknow@cohtechnologies.com, **Ahmedabad:** +91 7718886339 / ahmedabad@cohtechnologies.com, **Kolkata:** +91 9354951046 / kolkata@cohtechnologies.com, **Mumbai:** +91 9315311182 / mumbai@cohtechnologies.com, **Pune:** +91 7718880816 / pune@cohtechnologies.com, **Indore:** +91 7718886332, +91 7718880816 / indore@cohtechnologies.com, **Hyderabad:** +91 9354922853, +91 9810036790 / hyd@cohtechnologies.com, **Bangalore:** +91 9810036790, +91 9354922855 / bangalore@cohtechnologies.com, **Chennai/Cochin:** +91 9315311184, +91 9810036790 / cochin@cohtechnologies.com, **Bhubaneswar:** +91 9354951045, +91 9810036790 / bbsr@cohtechnologies.com



Cohesive Technologies Pvt. Ltd.

**Corporate Office:** CS - 4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P.) - 201010, India.

**Contact No:** + 91 120 4830000, +91 7290000544

**Registered Office:** 454, F.I.E, 2nd Floor, Patparganj Industrial Area, New Delhi - 110092, India

**Email:** info@cohtechnologies.com, info@grandstreamindia.com

**Web:** www.cohesiveglobal.com, www.grandstreamindia.com

