



The VOIP Enabler »



Company Overview

Cohesive Technologies is a renowned Global Telecom service provider working on the platform of IP and VoIP. We are working with our technology partners like Cyberdata, Grandstream, Sangoma, Epygi, Milesight Wi-Tek and Yeastar who support us in offering innovative products and solutions for the premise or Cloud-based requirements.

Vision

The company is aimed to work on the VOIP technology in a highly affordable and innovative manner. Our main vision is to allow the success & satisfaction of our employees, partners and customers who are connected with us by using our Products & Solutions.

We pull our deep expertise and profound appreciative of client's business province areas and needs to create a personalized solution for their individual business requirements.

We Work & Play with transparency, trust & team work, We feel proud on every thing we do and make sure that everyone who is connected with us feel the same.

Recognized for the disciplined approach towards offering the best value of pleasure to every customer, we shake hand with!

Our Customers



Why Choose Us ?

Clients

Cohesive Technologies has more than thousands of customers, starting from individual households to counting some large multi-national organizations. If you are attracted in speaking to any of the clients in order to have a referral, it can be arranged.

Top Market Technology

The service merges market top leading technology. We can offer the best, reliable technology and modify it to your business right away.

Full Solution Centre

The company can help you with not just with the telephony, but also the connectivity and network infrastructure as well.

Consultancy

Cohesive Technologies offers a Consultancy and Demo of our Product & Services permitting you to experience it earlier to making your choice. The trial comprises the full support, understanding your Problem and guiding with right Solution.

Technology Partners



Awards Recognition



Product Portfolio



Carrier-Grade, High End, Basic & Residential SIP Phones

Mid-Range IP Phones Cordless & Soft Apps for Android & iOS



IP Video Phones & Multimedia Phone Solutions

ATA & Enterprise Analog, GSM & ISDN Gateways (BRI & PRI)



Asterisk Hardware

IP PBX Appliances with Redundancy & UC Application



Video & Audio Conferencing Solution

Gigabit Router & Wireless Access Point



IP Video Surveillance Solutions & Network PoE Switches

4K Network Video Recorders



SIP Doors Intercoms & Video Door Phone

SIP - Public Address System



SIP Contact Centre Solutions

Basic IP Phones



GXP1610/1615
2 lines, 1 SIP account,
(Non-PoE/PoE),
132x48 LCD screen,
3XML, 3-way conf.



GXP1620/1625
2 lines, 2 SIP accounts,
(Non-PoE/PoE),
132x48 Backlit,
3XML, 3-way conf.



GXP1628
2 lines, 2 SIP accounts,
PoE, 132x48
Backlit LCD, 3 XML,
Gigabit Ports, 8 BLF Keys



GXP1630
3 lines, 3 SIP accounts,
PoE, 132x64
Backlit LCD, 3 XML,
Gigabit Ports, 8 BLF Keys



GXP1760W
6 lines, 3 SIP account,
4XML, 5-way conf., PoE,
WiFi-enabled, HD wideband audio,
Built-in USB port



GXP1780/1782
8 lines, 4 SIP account,
4XML, 5-way conf., PoE,
Built-in USB port
dual-switched



WP810/820
WiFi IP Phone,
Bluetooth, HD Voice,
Security

10/100Mbps ports / Gigabit ports

High End IP Phones & Extension Modules



GXP2130
3 lines, 3 SIP accounts,
4 way conference,
PoE, 8 BLF dial keys



GXP2135
8 lines, 4 SIP accounts,
4 way conference,
Dual switched, built-in PoE



GXP2140
4 lines, 4 SIP accounts,
5 way conf.,
PoE, Bluetooth



GXP2160
6 lines, 6 SIP accounts,
5 way conf.,
PoE, Bluetooth



GXP2170
12 lines, 6 SIP accounts,
5 way conf.,
PoE, Bluetooth



GXP2200EXT
Extension Module (20 Keys/ 2 Pages)
(works with GXP2140/2170
& GXP3240)

Multimedia IP Phones



GXV3350
16 (lines/SIP accounts), Android, 5" Touchscreen, 8/3 audio & video Conf.



GXV3370
16 lines, 16 SIP accounts,
Android, 7" Touchscreen,
7-way audio conf.
& 3-way video conf.



GXV3380
16 lines, 16 SIP accounts,
Android, 8" Touchscreen,
7-way audio conf.
& 3-way video conf.
2 MP camera, 1080p HD video output

IPVideoTalk (Web | Room)



IPVideoTalk
1080p HD video resolutions,
Attend meetings on any PC, Mac,
iOS and Android device.



IPVT10
(16/25/36/49/98/120 Party MCU options)
Enterprise Video Conferencing
Server, Supports up to 300
participants

Carrier-Grade IP Phones & Extension Module



GRP2612(P/W)
2 SIP a/c, 2.4" LCD, 16 VPKs,
P-PoE, W - WiFi



GRP2613
3 SIP a/c, 2.8" LCD, 24 VPKs



GRP2614
4 SIP a/c, 40 VPKs,
Dual LCDs (2.8" + 2.4")



GRP2615
5 SIP a/c,
4.3" LCD,
40 MPKs



GRP2616
6 SIP a/c,
Dual LCDs (4.3" + 2.4"),
48 MPKs



GBX20
4.3inch, 20 per pg,
support GXV3350/GRP2615

common features - HD Audio, Swappable Faceplate except GRP2614,
GDMS, WiFi - GRP2612W/14/15/16 bluetooth - GRP14/15/16

IP PBX Appliances



UCM6202/6204/6208
2/4/8 FXO ports, 2 FXS Ports,
500/500/800 Users,
50/75/100 concurrent calls,
PoE/USB/SD Support



UCM6510/HA100
1 E1/2000 Extn.
Voice Logger/
Connects and constantly monitors
two UCM6510 together
for high availability



GSC3510/3505
2-Way audio / 1-Way audio,
Bluetooth, WiFi, PoE/PoE+,
Full-band and wide-band
codec support

ISDN Gateway



GXW4500 Series
1/2/4 - E1/T1/J1
support 30, 60, or 120
concurrent calls, Dual Gigabit Ports,
Configurable NAT Router, 2 USB Ports,
SD Card Slot (Extra Memory)



GXW4104/4108
4/8 FXO Ports,
Supports 3-way voice
conferencing



**GXW4216/4224/
4232/4248**
16/24/32/48 FXS Ports,
Supports 3-way voice
conferencing

Analog VoIP Gateways

Business Conferencing (Room Based)



GVC3200/3202
Video Conf.

Supports SIP/Bluetooth/USB,
1080p Full-HD video, up to 9-way/3-way
video conf., support for 3/2 monitor outputs
through 3/2 HDMI outputs, 1*HDMI in



GVC3210
Video Conf.

Supports SIP/Bluetooth/WiFi,
4K Resolution, 16 Megapixel CMOS,
Lens - 90° field of view, ePTZ
Integrated 1*HDMI in,
2* HDMI out, 2*USB



GAC2500
Audio Conf.

6 lines, 6 SIP accounts, Supports
WiFi/Bluetooth, 7-way voice conf.
Runs Android 4.4 & offers full access to
the Google Play Store & all Android apps,
such as Skype, Google Hangouts & more

Gigabit Router & Indoor/Outdoor Access Points



GWN7000
7 Gigabit Ports
(2 WAN + 5 LAN),
300+ GWN WiFi APs,
3G/4G/LTE,
VPN including PPTP, L2TP,
IPSec and Open VPN



GWN7600/7602*/7610/7630
16 / 4 / 16 / 15 SSIDs per radio,
Support 450+ / 80 / 250+ / 200 devices,
PoE / PoE-PoE+,
2x2/2 / 3x3/3 / 4x4/4
MU-MIMO Technology,
16S/100/175/175 Meter range,
50 AP embedded controller



GWN7600LR/7630LR
450+ 200 WiFi clients,
30 / 50 AP embedded
controller, beam-forming
technology,
2x2/2/4x4/4 MIMO technology,
300-meter coverage range

Voice/Video Door Phone & Control Station



GDS3705
HD audio, 1.5m Mic,
3m speaker range,
Integrated RFID card
reader, PoE/Alarm in,
Alarm out



GDS3710
1080p Full HD Video,
PoE, 2x Alarm-In,
2x Alarm-Out, RS485,
Wiegand Input/Output



GSC3570
7 inch touchscreen,
dual-band wifi, PoE,
2-way HD Audio
with advanced
echo cancellation



HT801/802/812/814/818
1/2/2/4/8 Lines,
1/2/2/4/8 FXS ports, 3-way conf.,
Integrated NAT Router
- No/No/Yes/Yes/Yes
HT813 - 1 FXO/FXS port,
LAN/WAN Port

*GWN7602 - 2 PSE 10/100M ports, 1 Ethernet 10/100M port,
1 Uplink Ethernet 10/100/1000M port with PoE/PoE+

Yeastar FXO/FXS Analog Gateway



TA410/810/1610
4/8/16 FXO Ports,
SIP (RFC3261), IAX2 protocol



TA2400
24 FXS Ports, SIP (RFC3261),
IAX2 protocol

Yeastar GSM/4G LTE/ PRI Gateways & IPPBX




TG100/400/800/1600
TG200L/400L/800L
Support SIP Protocol,
1/4/8/16 GSM Channel,
2/4/8 LTE Channel



S20
20 Users,
10 Concurrent Calls
Up to 4 FXS/FXO/BR/ Ports,
Up to 1 GSM/3G/4G Channel



TE100/TE200
E1/T1/J1 Ports - 1/2
LAN & WAN
- (10/100Mbps/
10/100/100Mbps)




S100
Users 100 (up to 200),
Max Concurrent Calls 30 (up to 60),
Up to 16 FXS/FXO/BR/ Ports,
6 MAX GSM/3G/4G Ports

Yeastar IPPBX & SoftClient



S412
20 Users, 8 Max Concurrent Calls
12 Max FXS Ports,
4 Max FXO/BR/ Ports,
2 MAX GSM/3G/4G Ports



S300
300 Users (up to 500),
60 Concurrent Calls (up to 120)
Up to 24 FXS/FXO/BR/ Ports,
Up to 6 GSM/3G/4G Channels,
Up to 3 E1/T1/PRI Ports



Mobile
Enterprise Directory with
Presence/IM/SRTP/
Conf. (iOS & Android)



Desktop
IM/Presence/
CRM Integration/
File Sharing/Directory
(Mac/Windows)

Industrial SIP Phones



011460
SIP Weatherproof
Keypad Phone



011462
SIP Armored Steel
Ringdown Phone



011461
SIP Vandal Resistant
Keypad Phone



011463
SIP Heavy Duty
Emergency
Keypad Call Station

SIP Video Intercom w & w/o Keypad



Video Outdoor Intercom
(Also support InformaCast)
Point to Point Configurable,
eliminating need for VoIP
video phone with
CyberSoftPhone

SIP Outdoor & Indoor Intercom w/o Camera, w/wo Keypad as an Option (Also support InformaCast)



CDS-20
Cohesive outdoor
SIP Intercom decibel,
SIP telephone (RFC3261),
Vandal resistant metal button,
Weather proof protection



Outdoor w/wo Keypad



SIP Indoor w/wo Keypad Intercom (Wall Mount)



SIP Indoor w/wo Keypad Intercom (Flush Mount)



SIP Emergency Intercom

Industrial SIP Phones



CIP(H)-30
Cohesive outdoor
SIP Industrial Phone
with Horn Speaker,
Vandal Resistant, IP67,
(*Emergency Light Optional)



CIP-30
Cohesive outdoor
SIP Industrial Phone,
Vandal Resistant, IP67
(Without Horn Speaker)

IP Paging/Notification & VoIP Accessories with Talk Back (SIP/InformaCast/Multicast)



Speaker
Plays audio from multicast/
Available also in SIP.
Talk Back Speaker
enables full-duplex two-way
conversations in settings
in classrooms, offices, and clinics



Microphone
while pressing the
"Page" button,
to broadcast a live



Wall Mount /Ceiling tile drop speaker
playing audio
from a
multicast source.



RGB Strobe (Indoor/Outdoor)
the wall-mounted
RGB Strobe
operates as a
visual alerting device



PoE Digital Clock
Configurable daylight
saving - automatic
adjustment daylight
savings or standard time

SIP IP66 Outdoor Speaker Horn



SIP IP66 Outdoor Speaker Horn (InformaCast/Multicast)
a loud IP-based overhead
paging system for loud areas,
warehouses, manufacturing areas,
and outdoor areas.

SIP Paging Amplifier & Horn Loudspeaker



Amplifier (InformaCast/Multicast)
Amplifier - AC Powered/PoE
A PAS that needs to be loud to
your VoIP network,
9 user-uploadable
page messages



IP66 Analog Horn Speaker
Weather and corrosion
resistant design,
Adjustable mounting base

SIP Server with Bell Scheduler



Bell Scheduler
scheduled notifications to be
sent to different multicast zones and legacy
analog paging systems, Perfect for schools,
universities, manufacturing or any
environment where scheduled
audio notification is paramount.

SIP Paging Adapter



1 & 4 port Audio Out
Two SIP extensions,
Voice prompt pass code
and page control, Now Supports
Up To 9 Stored Messages,
Night Ringer

Secure Access Control



SIP Outdoor Intercom with RFID/ Video Outdoor Intercom with RFID/ RFID-Keypad Secure Access Control Endpoint/ RFID Secure Access Control Endpoint/ Secure Access Control Keypad

Switchvox E-Series Appliances



Switchvox E5xx Series
(E510 - 150, E520 - 400,
E530 - 700, E540 - 1000
IP phones), with max. 200
concurrent calls.

Switchvox IP Phones



D60/62
Dual 10/100 Mbps
network ports/Dual
10/100/1000 Mbps
Gigabit network ports



D65
Dual 10/100/1000 Mbps
Gigabit network ports, 4 feature
keys, 6 line appearance keys



A20/22
2 line, rapid dial/busy lamp
field keys - up to 1 key/
1 contact, 2.8 inch, color



A25
4 line, rapid dial/busy lamp field
keys - up to 6 key/ 30 contact,
2.8 inch main, 2.4 inch BLF,
color



D80 Touchscreen
Dual 10/100/1000 Mbps
Gigabit network ports, 7-inch,
High Definition



A30
6 line, rapid dial/busy lamp field
keys - up to 10 key/ 45 contact,
4.3 inch, color

Digium VoIP Gateways/Telephony Card



Digium G-Series Appliances

G800: 8-port T1/E1/PRI, 240 concurrent calls
G400: 4-port T1/E1/PRI, 120 concurrent calls
G200: 2-port T1/E1/PRI, 60 concurrent calls
G100: 1-port T1/E1/PRI, 30 concurrent calls
G080: 8-port analog gateway, 8 concurrent calls

Analog/Hybrid/Digital Cards

Analog Cards: 4/8/24 Ports in multiple combinations.
Digital Cards: 1/2/4/8 Ports

EPYGI - Unified Communication with Video Conferencing & Redundancy



QX20
32 Extn. PBX
with 8 Party VC
& 16 AC



QX50
50 Extn. PBX
with 8 Party VC
& 16 AC



QX200
200 Extn. PBX
with 16 Party VC
& 32 AC



QXFX04
4 FXO PSTN ports,
1 Ethernet
LAN & WAN Ports.



QXE1T1
1 E1/T1 port,
1 Ethernet
LAN & WAN Ports
with Survivability



QX500
500 Extn. PBX
with 24 Party
VC & 48 AC



QX3000
3000 Extn. PBX
with 104 Party
VC & 288 AC



QX5000
5000 Extn. PBX
with 104 Party
VC & 288 AC



QXISDN4
4 ISDN BRI ports,
1 Ethernet
LAN & WAN Ports.



QXFXS24
24 FXS Ports,
1 Ethernet
LAN & WAN Ports.

H.265+ Starlight Premium Network Camera



H.265+ Vandal-Proof Mini Dome*

MS-CXX73-PB Series
2/5 MP, 0.002Lux Starlight,
Super WDR 140dB,
IR Distance 25m, IP67, IK10
VCA Supported (Optional)
(UL Certified)



H.265+ AF Motorized Mini Dome*

MS-CXX75-EPB Series
2/5 MP, 0.002Lux Starlight, PoE,
Built-in Microphone
Super WDR, IP67 & IK10
35m IR Distance, VCA Supported



H.265+ Mini Bullet*

MS-CXX64-FPB Series
2/5/8(4K) MP, 0.002Lux Starlight,
Super WDR 140dB, IP67 & IK10,
IR Distance 50m,
VCA Supported (Optional),
P-Iris (Optional)



H.265+ Mini Bullet*

MS-CXX64-PB Series
2/5 MP, IP67, IK10,
3.6mm-5mm lens,
140dB WDR,
starlight 0.002Lux,
IR Distance 30m,
VCA Supported (Optional)

H.265+ Motorized Pro Bullet/Mini PTZ Bullet/Speed Dome Network Camera



Pro Bullet*
MS-CXX62-FPB Series
2/5/8(4K) MP,
0.002Lux Starlight,
Super WDR 140dB,
IR Distance 60m/100m
(7mm-22mm lens),
VCA Supported (Optional)
IP67, IK10(Optional)



Mini PTZ Bullet*
MS-CXX61-(E)PB Series
2/5 MP, 0.002Lux Starlight,
12x Optical Zoom, Super WDR 140dB,
255 Preset Points, 8 Patrols,
360° Endless Pan,
Tilt Range (-45°~30°),
IR Distance 100m,
VCA Supported (Optional)



Speed Dome*
MS-C2941-X30RPB/
MS-C5341-X30HPB
2/5 MP, 0.002Lux Starlight,
Super WDR, 255 Preset Points,
360° Endless Pan, IR Distance 200m,
VCA Supported (Optional)
30x/36x/42x Optical Zoom



Fisheye Camera*

MS-CXX74-PB Series)
5/12 MP,
ceiling mount 360°,
wall mount 180°,
flat mount 360°
2 Built-in Microphones,
Smart Control,
IR Distance 15m



Mini PTZ Dome

(MS-C2971-(12X/23X)RPB)
(MS-C5371-(12X/23X)HPB)
360° Endless Pan, -5°~185° Tilt
Starlight, IP67 & IK10,
Smart PTZ Motion Detection,
Auto Tracking, 140dB Super WDR
8 Patrols and 4 Patterns



(LPR/ANPR)

MS-C2964-RFLPB/
MS-C2961-REL(P)B/
MS-C2962-RFLPB/
MS-C2962-REL(P)B)
2MP, 12x Optical Zoom,
140dB Super WDR,
The Cameras have the ability
to detect & recognize the moving
vehicle's plate number in the speed
upto 120km/h.

180° Panoramic Mini Bullet



Panoramic Mini Bullet*

(MS-C5365-PB/MS-C8165-PB)
5/8(4K) MP, 180° Panoramic View
Smart IR II, IP67 & IK10, Built-in Microphone,
8 Patrols and 4 Patterns,
IR Distance up to 15m, Super WDR 120dB

4K Mini NVR

Coming Soon



4K Mini NVR
(MS-N1004-UC/MS-N1004-UPC)
Network Video Input - 4-ch,
1*SATA HDD(3.5") support,
2*USB 2.0 interfaces,
Network Interface -
1*RJ45 10M/100M,
ANR, VCA

5xxx 4k H.265 PoE NVR Series



4K H.265 PoE NVR 5000*
(MS-N5008-UP/MS-N5016-UP)
Network Video Input - (8-ch & 16-ch),
2 SATA HDD (3.5"),
10TB capacity for each HDD,
440mm*251mm*44.4mm,
3.5kg, Support HDMI and VGA

5xxx/8xxx 4k H.265 Pro NVR Series



4K H.265 Pro NVR 5000*
(MS-N5008-UT/MS-N5016-UT)
Network Video Input - (8-ch & 16-ch),
2 SATA HDD (3.5"),
10TB capacity for each HDD,
440mm*251mm*44.4mm,
2.6kg, Support HDMI and VGA



4K H.265 Pro NVR 8000*
(MS-N8032-UH/MS-N8064-UH)
Network Video Input - (32-ch & 64-ch),
8 SATA HDD (3.5"),
10TB capacity for each HDD,
440mm*420mm*88.2mm, 6.0kg,
Support HDMI and VGA

* BIS Certified as on date, for BIS latest Info, Please Contact Sales Team.

Milesight Network Keyboard



MS-K02

128x64 Blue Screen,
4-axis joystick,
Shortcut Keys for PTZ Control and NVR Control

IP Video Encoder



GXV3500

1 Channel Video
Encoder + Decoder,
Integrated PoE (802.3af),
Full ONVIF compliance

Milesight Applications



VMS Lite/Pro

Connect up to 64 cameras
/ It Use Client-Server architecture



Milesight CMS

A central management system for
Milesight cameras and
network video recorders.



M-Sight Pro

Support PTZ control,
Wi-Fi/3G/4G network

Gigabit Ethernet Network Switch (Web Managed)



WI-SG108
8x Gigabit Ethernet
Switch with Steel Case,
Support Port VLAN avoid
broadcast storm



WI-SG116F
16GE+2SFP
Full Giga rack-mountable
Ethernet Switch,
Port VLAN



WI-SG124F
24GE+2SFP Full
Giga rack-mountable
Ethernet Switch,
Port VLAN



WI-MS310GF
8GE+2SFP
Support IGMP Snooping,
Link Aggregation, Port Mirroring
and Loop Prevention



WI-MS318GF
16GE+2SFP uplink
Full Giga SNMP
Managed Ethernet Switch
QoS, IGMP Snooping,
QVLAN, LACP



WI-MS326GF
24GE+2SFP
uplink Full Giga
SNMP Managed
Ethernet Switch,
QoS, IGMP Snooping,
QVLAN, LACP

Full Gigabit 48V PoE Switch(Web Managed)



WI-PS305G
4GE+2GE
uplink Full Giga
802.3af/at
PoE Switch with
4Port PoE



WI-PS308G
8GE+2GE
uplink Full Giga 802.3af/at
PoE Switch with
8Port PoE



WI-PS318GF
16GE+2SFP
uplink Full Giga 802.3af/at
PoE Switch with
16Port PoE, PortVLAN



WI-PS326GF
24GE+2SFP
Full Giga 802.3af/at
PoE Switch with
24Port PoE, PortVLAN



WI-PMS310GF
8GE+2SFP Full Giga 802.3af/at
Managed PoE Switch with 8Port PoE,
Support QVLAN, QoS and IGMP
snooping optimize voice
and video application



WI-PMS318GF
16GE+2SFP
Full Giga 802.3af/at Managed
PoE Switch with 16Port PoE
Support QVLAN, QoS and
IGMP snooping optimize voice
and video application



WI-PMS326GF
24GE+2SFP Full Giga 802.3af/at
Managed PoE Switch with
24Port PoE, Support QVLAN,
QoS and IGMP snooping
optimize voice and video application

VoIP Exclusive PoE Switch with QoS



WI-PS505V
4FE+2FE uplink 250M
Long Range
VoIP PoE Switch
with 4Port PoE



WI-PS510V
8FE+2FE uplink
250M Long Range
VoIP PoE Switch
with 8Port PoE



WI-PS518GV
16FE+2GE+1SFP
250M Long Range
VoIP PoE Switch
with 16Port PoE



WI-PS526GV
24FE+2GE+2SFP
250M Long Range
VoIP PoE Switch
with 24Port PoE



WI-PS150GFV
48FE+2Gigabit
Combo SFP 250M
Long Range VoIP PoE
Switch with 48Port PoE



WI-PS310GF-Alien
8GE+2SFP Unmanaged 24V-48V
Auto-detect PoE Switch
Support overcurrent protection
/short-circuit protection



WI-PS210G-O
(6FE+2GE)PoE+2GE
Uplink Outdoor PoE
Switch with 8Port PoE Port
IP65 Weatherproof enclosure

250 meters Long-Range PoE Switch (Watchdog & Hi PoE)



WI-PS205
4FE+2FE uplink
250M Long Range
PoE Switch with 4PoE Port
Ping Watchdog, Hi PoE



WI-PS210
8FE+2FE uplink 250M
Long Range PoE Switch
with 8Port PoE
smart watchdog



WI-PS210G
8FE+2GE uplink
250M Long Range
PoE Switch with 8Port PoE
Ping Watchdog, Hi PoE



WI-PS518G
16FE+2GE+1SFP
250M Long Range
PoE Switch with 16Port PoE
Ping Watchdog, Hi PoE



WI-PS526G
24FE+2GE+2SFP
250M Long Range
PoE Switch with 24Port PoE
Ping Watchdog, Hi PoE



WI-PS205H
4FE + 2FE Uplink Ports
250M Long Range PoE
Switch with 4PoE Port



WI-PS208H
8FE Ports 250M Long Range
PoE Switch with
8Port PoE



WI-PS308GH
8 Gigabit Ports
PoE Switch
with 8Port PoE

Industrial PoE Switch (-40°C~80°C)



WI-PS206-I
4FE+2FE
Industrial PoE Switch,
PoE Ports - 4x100Mbps



WI-PS306GF-I
4GE+2SFP Fiber
Uplink Industrial PoE Switch,
PoE Ports - 4x100Mbps



WI-PS310GF-I
8 Gigabit Ports with
8 PoE, 2Combo SFP Fiber
Uplink



WI-PMS312GF-I
8GE+4SFP Fiber Uplink
Managed Industrial PoE
Switch with 8Port PoE
smart watchdog



WI-SG310F
8SFP+2GE Gigabit rack-mountable
Fiber Ethernet Switch
10 Auto-Negotiation,
Auto-MDI/MDIX Ethernet
ports provide smart switching



WI-PS128GF
24FE+4 Gigabit Combo
SFP 802.3af/at PoE Switch
with 24 Port PoE, Supports PoE power
up to 30W for each port



WI-SG324F
16SFP+8GE
Gigabit rack-mountable Fiber
Ethernet Switch
24 Auto-Negotiation,
Auto-MDI/MDIX Ethernet
ports provide smart switching



WI-PS150GF
48FE+2 Gigabit Combo
SFP 802.3af/at PoE Switch with
48Port PoE, Supports PoE power
up to 30W for each port



WI-GS5024F
18SFP+8GE
Gigabit rack-mountable Fiber
Ethernet Switch, Support QVLAN, QoS
and IGMP snooping optimize voice
and video application

Fiber Ethernet Switch/Fiber PoE Switch

Solar UPS PoE Switch



WI-PS302G-UPS
2GE Ports UPS No-break
PoE Injector, 6KV anti-thunder,
small size design for
outdoor used.



WI-PS306GF-UPS
5GE+1SFP Unmanaged
UPS No-break PoE Switch,
6KV anti-thunder,
small size design for
outdoor used



**WI-POE31-48V
/WI-POE51-48V
/WI-POE55-48V-60W**
2FE PoE Injector with 2*RJ45 Port
/2GE PoE Injector with 2*RJ45 Port
/2GE PoE Injector with 2*RJ45 Port (60W),
Support camera, wireless AP, and
IP phone etc.



WI-POE11S-48V
Single 100Mbps fast PoE
Splitter with 1*RJ45 Port,
Support camera, wireless AP,
and IP phone etc. All ports support
wire speed switch, jumbo
frame transmission



WI-PE31E
2FE PoE Output+1FE
PoE Input PoE Extender
PoE Output Support
150meter long-Range
PoE transmit



WI-PE51E
4FE PoE Output+1FE PoE
Input+1FE Uplink port PoE
Extender PoE Input port
support 90W Hi-PoE,
All ports support wire speed
switch, jumbo frame
transmission

FTTx Reverse PoE Switch



WI-PS108R
8FE 24V Reverse
PoE Port,
Port1-7 for PoE In,
Port8 for PoE Out



WI-PS310GFR
8GE+2SFP Fiber
uplink 24V Reverse
PoE Switch,
Support Port VLAN



WI-PS308GR
8GE Full Giga
24V Reverse PoE Switch,
Port1-7 for PoE In,
Port8 for PoE Out

Fiber Optical Transceiver



WI-MC101M
25KM 100Mbps Single Fiber
Optic Media Converter
Connector: UTP: RJ-45,
10/100Mbps; Fiber:
SC, 100Mbps



WI-MC101G
25KM 1000Mbps Single Fiber
Optic Media Converter
Connector: UTP: RJ-45,
10/100Mbps; Fiber:
SC, 1000Mbps



WI-SFP10-3KM
3KM 1.25Gbps Single
Fiber module Transceivers
Distance up to 3km over SMF,
Simplex SC connector,
Compliant with SFP MSA,
Digital Diagnostic Monitoring,
Hot-pluggable SFP footprint



WI-SFP10-20KM
20KM 1.25Gbps Single
Fiber module Transceivers
Distance up to 20km over SMF,
Simplex SC connector,
Compliant with SFP MSA,
Digital Diagnostic Monitoring,
Hot-pluggable SFP footprint

Gigabit SFP Fibre Module

Esteemed Customers



Contact No's / Email Id (Branch Locations)

Punjab/Himachal/J&K: +91 9814081331 / pankaj@cohtechnologies.com, **Delhi:** +91 7290000544 / info@cohtechnologies.com, **Lucknow:** +91 9953001581 / lucknow@cohtechnologies.com **Ahmedabad:** +91 7718886339 / ahmedabad@cohtechnologies.com, **Kolkata:** +91 9354951046 / kolkata@cohtechnologies.com, **Mumbai:** +91 9315311182 / mumbai@cohtechnologies.com, **Pune:** +91 7718880816 / pune@cohtechnologies.com, **Indore:** +91 7718886332, +91 7718880816 / indore@cohtechnologies.com, **Hyderabad:** +91 9354922853, +91 9810036790 / hyd@cohtechnologies.com, **Bangalore:** +91 9810036790, +91 9354922855 / bangalore@cohtechnologies.com, **Chennai/Cochin:** +91 9315311184, +91 9810036790 / cochin@cohtechnologies.com, **Bhubaneswar:** +91 9354951045, +91 9810036790 / bbsr@cohtechnologies.com