## **HyPanel Pro**

Datasheet

#### New hassle-free smart door ip phone for your home

The akubela HyPanel Pro, a smart door ip phone with an Android 10 operating system. The ALL IN ONE design integrates smart intercom, and home automation, and is compatible with plentiful ecosystem. Minimalist exterior design, allowing users to enjoy a higher quality communication experience. Support infrared remote control function, intelligent control of traditional home appliances, to achieve a more outstanding smart home experience.

#### At a Glance

- Metal body with more style embellishments.
- Android 10 system in High-powered Qualcomm chip.
- Widely compatible with third-party devices and platforms.

#### **Basic Information**

- Model Number: PG71-R2-EU
- Power Supply: PoE
- Operation System: Android 10
- RAM/ROM: 2GB/16GB
- Ethernet ports: 1xRJ45, 10/100Mbps adaptive
- Microphone: Dual microphone,-38DBV
- Speaker: Single speakers,  $6\Omega/1.8W$

📿 akubela

#### Appearance

- Material: Metal
- Screen Resolution: 1280x800 pixels
- Screen Brightness: 260 cd/m2

10/F, No.56 Guanri Road, Software Park II , Xiamen 361009, China Tel: +86-592-2133061 Ext: 7694 Fax: +86-592-2133061 Email: sales@akuvox.com Web: www.akubela.com



## **HyPanel Pro**

### Datasheet

• Storage Temperature: -20°C~70°C

#### Installation

- Installation: Wall flush mounting
- Flush Mounted Module: EU/UK standard
- Wiring Way: L- + N- wire required

### Working Environment


- Environment: For indoor use only
- Working Humidity: 10%~90%RH, without condensation
- Working Temperature: -10℃~55℃


### **Application Scenario**

- Villas
- Apartment complexes
- Home automation systems
- Modern interiors

#### **Installation Diagram**









2 RIGHT VIEW

1 FRONT VIEW



6 TOP VIEW



3 LEFT VIEW

4 BACK VIEW

# 📿 akubela


10/F, No.56 Guanri Road, Software Park II , Xiamen 361009, China Tel: +86-592-2133061 Ext: 7694 Fax: +86-592-2133061 Email: sales@akuvox.com Web: www.akubela.com

## **HyPanel Pro**

## Datasheet

### **Installation Diagram**

A 50mm(2 inches) deep electrical box is highly recommended for ease of installation. In some scenarios, especially when the wires can be pushed back into the wall far enough, it may be possible to use a 40mm (1.6 inches) deep box.



# 📿 akubela

10/F, No.56 Guanri Road, Software Park II , Xiamen 361009, China Tel: +86-592-2133061 Ext: 7694 Fax: +86-592-2133061 Email: sales@akuvox.com Web: www.akubela.com