

Tonmind 15W IP Sound Projector SIP-S51H

1. Transmit excellent sound for music and announcement.
2. PoE eliminates need for local power supply.
3. 48K OPUS Audio Codec enables excellent sound quality.
4. Compatible with VoIP, SIP devices (IPPBX, IP Phone) via SIP.
5. Compatible with IP Camera VMS via ONVIF.
6. Support Pre-recorded messages.
7. Support HPPT API for alarm in transmit.
8. Built-in MIC



Specification:

Audio

Codec	OPUS 48 kHz, MP3 44.1 kHz, G.722 ADPCM 16 kHz, G.711 PCMU 8 kHz, G.711 PCMA 8 kHz
Built-in Microphone	Yes

Speaker

Max SPL	102dB
Frequency Response	130Hz~17KHz
Frequency Range	500-2KHZ +-10dB 400-12KHZ +-20dB
Harmonic Distortion	0.1@1kHz
Signal to Noise Ratio	91dB

Network

Security:	Password protection, IP address filtering, Digest authentication, User access log, firewall
Network Protocol	SIP, ONVIF, HTTP, IPv4, DHCP, RTSP, RTP, RTCP, TCP, UDP, ARP, FTP, TFTP, NFS, NTP
Network Interface	10/100 Base-TX, RJ45
	Support for SIP protocol for intergration with VoIP systems, intergrated with SIP/PBX.
VoIP	2 SIP Accounts, SIP Direct IP Call, RTP Multicast
	Codec: OPUS, MP3, G.722, PCMU, PCMA

Amplifier

Amplifier Description	Built-in 15W Amplifier
-----------------------	------------------------

General

Operating Temperature	'-30℃ — +60℃
Operating humility	5%-85%
Material	ABS (IP55 water-proof)
Rate Power	15W
Power Supply	PoE or DC12V
Connector	Alarm in, DC Power, PoE
Installation	Wall Mounted
Dimensions	D135*205mm
Net Weight	1.7 KG
Languages	English
Warranty	2 years
Package Includes	IP Sound Projector User Manual