### ASP501v2/ASP502v2/ASP503v2



### **Technical Specifications**

### **Ai Server System**

### FOR VIDEO ANALYTICS APPLICATION

- VCAserver
- VCAforensics





| SYSTEM                |  |                                 |                                  |
|-----------------------|--|---------------------------------|----------------------------------|
| Model                 | ASP501v2   | ASP502v2                        | ASP503v2                         |
| СРИ                   | Intel® Core™ i3-14100 Processor                                    | Intel® Core™ i5-14500 Processor | Intel® Core™ i7-14700K Processor |
| Cooler                | Air Cooler   | Air Cooler                      | Liquid Cooler                    |
| GPU                   | GTX 1660 Super   | RTX 5060 8G GDDR6               | RTX 5060TI 8G GDDR6              |
| Memory                | 32GB(16GB x 2), DDR5   |                                 |                                  |
| SSD                   | 250GB, SATA3   | 250GB, SATA3                    | 256GB, M.2 NVME                  |
| HDD (Optional)        | 6TB, 7200rpm, 3.5"   | 12TB, 7200rpm, 3.5"             | 16TB, 7200rpm, 3.5"              |
| Network               | 1 x Realtek 1Gb Ethernet   |                                 |                                  |
| Power                 | AC100V ~ 240V, 50-60Hz, 500Watt                                    | AC100V ~ 240V, 50-60Hz, 750Watt | AC100V ~ 240V, 50-60Hz, 800Watt  |
| Operating Environment | Temperature : 0°C to +40°C(32°F to 104°F), Humidity : 20% ~ 85% RH |                                 |                                  |
| Approvals             | CE, UKCA, FCC  |                                 |                                  |
| NDAA                  | Compliant  |                                 |                                  |
| Color & Material      | Black & Metal  |                                 |                                  |
| Dimensions(mm)        | 488(W) x 88.8(H) x 600(D), 2U(19" Rackmount System)                |                                 |                                  |
| Weight                | Net Weight: 13KG, Gross Weight: 14.6KG                             |                                 |                                  |

| EXTERNAL PORTS |  |  |  |
|----------------|--|--|--|
| USB            | Front - 2 x USB 3.0 ports (Type-A) - 2 x USB 2.0 ports (Type-A) Rear - 2 x USB 3.0 ports (Type-A) - 4 x USB 2.0 ports (Type-A) | Front - 2 x USB 3.0 ports (Type-A) - 2 x USB 2.0 ports (Type-A) Rear - 4 x USB 3.0 ports (Type-A) - 2 x USB 2.0 ports (Type-A) |  |
| HDMI(GPU)      | 1  | 1  |  |
| Audio Jacks    | Rear : 3(Audio In/Out, MIC In)   | Rear : 3(Audio In/Out, MIC In)   |  |
| Network        | 1 x RJ-45  | 1 x RJ-45  |  |

# ASP501v2/ASP502v2/ASP503v2



### **Technical Specifications**

| VCA Server (Input Video: 15fps@480p) |                   |                    |                    |
|--------------------------------------|-------------------|--------------------|--------------------|
| DL Object Tracker                    | Up to 26 channels | Up to 110 channels | Up to 137 channels |
| DL People Tracker                    | Up to 26 channels | Up to 110 channels | Up to 137 channels |
| DL Skeleton Tracker                  | Up to 23 channels | Up to 100 channels | Up to 105 channels |
| DL Thermal Tracker                   | Up to 26 channels | Up to 122 channels | Up to 143 channels |
| DL Fisheye Tracker                   | Up to 23 channels | Up to 105 channels | Up to 111 channels |
| HOI Tracker                          | Up to 25 channels | Up to 99 channels  | Up to 128 channels |
| Shelf Clearance                      | Up to 25 channels | Up to 110 channels | Up to 143 channels |
| Fall                                 | Up to 15 channels | Up to 75 channels  | Up to 80 channels  |
| Aggressive                           | Up to 6 channels  | Up to 64 channels  | Up to 74 channels  |
| Behavior                             | Up to 5 channels  | Up to 53 channels  | Up to 58 channels  |
| Hands Up                             | Up to 23 channels | Up to 100 channels | Up to 105 channels |
| Accessory                            | Up to 15 channels | Up to 59 channels  | Up to 64 channels  |
| QR Code                              | Up to 13 channels | Up to 28 channels  | Up to 40 channels  |

| Smoke and Fires         |                  |                   |                   |
|-------------------------|------------------|-------------------|-------------------|
| Input Video: 15fps@480p | Up to 8 channels | Up to 19 channels | Up to 36 channels |
| Input Video: 15fps@720p | Up to 4 channels | Up to 5 channels  | Up to 10 channels |

| Forensics (Input Video: 15fps@480p) |                   |                   |                   |
|-------------------------------------|-------------------|-------------------|-------------------|
| Forensics                           | Up to 11 channels | Up to 63 channels | Up to 75 channels |

## ASP501v2/ASP502v2/ASP503v2



### **Technical Specifications**

Dimensions (Units: mm)



