





Empowering Communication

Innovate. Integrate. Connect.



Cohesive Technologies Pvt. Ltd

About Cohesive Technologies



CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3 Vaishali, Ghaziabad (Uttar Pradesh.) 201010

169, FIE, 1st Floor Patparganj Industrial Area, Delhi-110092, India

[Product Categories](#)

Segment We Cater & Technology Partners



Enterprise	Education	Healthcare	Residential	Automobile	Telecom	Financial



Product Portfolio



IP Voice Telephony & IP Hotel Phones

- 2 - 6 SIP accounts
- Common-area phones
- color screen, HD audio
- Noise-shield technology
- Enterprise-grade security
- WiFi Cordless IP Phone
- Bluetooth, wifi, BLF Keys



IP Video Telephony

- 16 SIP ac, Video Calling
- Instant Messaging
- Bring Your Own Device (BYOD)
- Security and On-Premise Access
- Employee Access
- Huddle Rooms



Answering Units

- Luxury design with top materials
- Smartphone as answering unit
- Home automation integration
- HD quality sound with ambient noise suppression



SIP Door Intercom

- Intercom is a first access control device you will get in touch before you enter a building
- It has to look very luxury in villas or MDUs
- HD audio & video quality



Unified Communications

- Upto 5000 Extension
- Redundancy, voicemail, Recording
- call center features
- Integrated with 3 party products
- Linkus App, Auto Dialer
- Automatic Call Distribution



Smart Home Automation

- Smarter Home,
- Sweeter Life,
- Zigbee Hub.
- Intercom. Smart Home Control Panel in One



IP Access Control & SW

- Slimline design
- Fastest mobile access
- Bluetooth, IP55 and IK07
- Controller and reader in one
- Encrypted two-way communication
- Perfect for the office or outdoor



Gateways & ATAs

- E1/T1/J1 Ports
- FXS & FXO Ports
- Voice Conferencing
- concurrent calls
- Nat Traversal



Audio/Video Conferencing

- Runs on Android 9.0 operating system
- Support for up to 300 participants and 120 video feeds per session; up to 10 simultaneous sessions
- video and audio recording
- 1080p Full-HD video
- Bluetooth, WiFi support
- Built-in Mic/Speaker
- PAN, TILT, ZOOM - camera
- IPVideoTalk Meetings Platform

Product Portfolio continue...



IP & Analog Industrial Phone

- Hazardous & Non Hazardous
- Water Tight, Weather/Water Resistant Phones
- Food Industry Industrial Telephone
- Correctional Institute Industrial Telephone

Elevator Management

- Convenient for the residents to get in and out without cards to avoid residents



Wireless Access Points & Routers

- OFDMA technology
- Range upto 300 meters
- IP66-level weatherproof capability
- GWN Cloud, GWN Manager, Embedded Controller



SIP Surveillance

- Introduced H.265+ & Starlight & WDR
- Debut of the unrivaled Mini PTZ Bullet Camera
- New technologies: Auto Tracking, Advanced Heat Map and High-quality Deblur...
- Release AI ANPR solution & Pro Bullet Plus (with 3D Radar Module)
- Launch enterprise VMS



Call center solutions

- Inbound/Outbound calls
- Contact center on cloud
- IVR, Auto dialer, Automatic Call Distributor
- Hosted Call Center



Personal Collaboration Devices

- RJ9, USB & Wireless Headset
- USB Webcam supports 1080p Full HD video
- Designed for remote workers, contact centers and other busy environments.
- Comfortable, cost effective, durable headset for Soho, VoIP, IP-phone
- Light weight design, practical IP telephony sound quality

Networking Switches

- GREEN Networking, smart LCD
- Port VLAN, Watch Dog
- IP65, support 30-60W each port
- Redundant Power
- Industrial switches (-40°C ~ 80°C)
- Solar UPS/ outdoor Weather-Proof Switches
- 250 m CCTV Long-Range switches



SIP Public Address System

- SIP/Multicast/Informacast/Syn-App
- Serverless IP paging solution
- Communication with SIP devices
- Integration with VMS via ONVIF
- Loudest Sound in the market



INTRODUCTION

Brief introduction of smart intercom
solution

Akuvox provides smart intercom solutions for diverse scenarios, which consolidate different technologies for broad scope of applications, and are easily integrated into other platforms, such as security system and telephone system.

The Company

SMART INTERCOM PRODUCTS





/ OVERVIEW

/ PRODUCT PORTFOLIO

/ WHY AKUVOX

A low-angle, upward-looking photograph of several modern skyscrapers against a clear blue sky. The buildings are made of glass and steel, with their lines converging towards the top of the frame. A semi-transparent blue rectangle is centered over the image, containing the word 'OVERVIEW' in white capital letters, followed by a thin white horizontal line.

OVERVIEW

OVERVIEW

- Full range of hardware and software
- Meet different scenarios
- Stylish design to increase the value of properties
- Allow the residents to enjoy smart living
- Offer the visitor perfect user experience



Smart Intercom






The Global Leading Provider of Smart Intercom

Akuvox is a global leading innovator of smart intercom and access control products and solutions. We are committed to unleashing the power of technologies to improve people's lives with better communication, greater security, and more convenience.

Part of Star-net

Akuvox is part of Star-net, a \$1.6-billion international group, which is a leading ICT solution provider in China.



Established in 1996



\$1.6 Billion Annual Revenue



4000+ R&D



70,000+ m² Manufacture Base

Pioneer of Smart Intercom

Encompassing Artificial Intelligence, Cloud, Android, SIP, Security, and other advanced technologies, Akuvox continuously drives breakthrough changes in the industry and creatively delivers an unrivaled portfolio of smart intercom products and solutions, allowing more people to take advantage of smart living easily.



AI



Cloud




Android



SIP



Security



Comprehensive Product Portfolio

Akuvox
Open A Smart World

Door Phone



Indoor Monitor



IP Phone



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Comprehensive Product Portfolio

Akuvox
Open A Smart World

Access Control



Local Server



Coming Soon

Software & Services



Coming Soon

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Akuvox EC33 Elevator Access Management

WATCH NOW ▶

EC33

Elevator Access Controller


- 32-channel Elevator Control
- 10/100M Ethernet
- Large storage for 20,000 card holders and 100,000 logs
- RS485 port
- Fire Alarm input
- Works with Akuvox SmartPlus

Akuvox
Open A Smart World




Diagrams

Akuvox
Open A Smart World



Integration with Akuvox System




X912



- Full intergration with Akuvox intercom system
- Effectively control visitors' path and reduce security risk
- Convenient for the residents to get in and out without cards to avoid residents unable to get in or out due to forgetting their cards
- Not need for property staff to prepare temporary cards for visitors
- Easy to use and just need minimum training for property staff
- Maintain and upgrade the devices remotely

Features

Various ways to unlock elevator buttons for residents



- Unlock with card / password / face id on doorphone



- Swipe card/NFC/Enter pin code



- Using Smartplus app



- Floor button would be unlocked with a time limit

Smart Intercom Technologies

Smart Intercom Technologies-AI

Leading AI Technologies



Facial recognition door entry

Your face is your identity. The underlying anti-spoofing liveness detection algorithm makes it hard to be fooled by photos or videos.



Offline voice control

Use your voice to control intercom devices. The voice data are processed directly on the device, faster and securer compared with an online method.



Fall detection

Exploring the synergy of image recognition technique and deep neural networks, Akuvox empowers intercoms to increase in-home safety for older individuals.



Smart Intercom Technologies-Cloud

Akuvox
Open A Smart World

Smart Cloud-based Intercom Service


Akuvox SmartPlus, a smart cloud-based intercom service, allows Akuvox's intercom and access control devices to link, communicate, and interact intelligently with one another without any geographical restrictions, making buildings smarter and securer.

Mobility: Intercom and building access anywhere, anytime

Flexibility: Remote provisioning and maintenance for any scale of systems

Stability: 24/7 self-monitoring with >1 million monitoring tests per month at a 99.99% success rate

Security: triple data backup mechanism ensuring 99.999% data reliability



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Smart Intercom Technologies - Android

Easy Integration, Deep Customization, Exceptional User Experience

The openness of Android makes it easy to integrate Akuvox's smart intercoms with 3rd-party systems like home automation and security systems.

Akuvox's finely-tuned Android systems are easy to use. The system's high flexibility also allows Akuvox to offer deep customization service to meet bespoke customer needs.

With the Google app store, users can enjoy millions of the latest Android apps and digital content from their indoor monitors.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Smart Intercom Technologies-SIP

Better Communication

Akuvox's intercoms are based on SIP, a universal IP communication protocol, allowing you to build an extensive communication system. Compared with a non-SIP system, SIP-based intercoms are easy to learn, use and maintain and are easy to integrate into a phone system.



Premium audio and video quality



Communication between any SIP-supporting systems



Work with mobile phones and landlines



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com


Smart Intercom Technologies-Security

Greater Security

Akuvox's smart intercoms can be flexibly connected with various alarm systems such as smoke detectors for greater home security.

Akuvox dedicates itself to improving the robustness of its products against damage caused by external factors. Akuvox's intercoms are certified with IK and IP ratings, which can be as high as IK10 Rating, and feature the tamper-resistant mechanism.

We are also committed to protecting your intangible property through advanced network security measures, such as AES256, HTTPS, Anti-DDoS, and GDPR compliance.



SIP Android Guard Phone

(SIP Phone)

R49G

The World's First Android Video Phone

- Android 9.0 OS
- 7" touch screen
- 1024x600 resolution
- 2MP camera with privacy shutter
- Built in Wi-Fi & Bluetooth
- HDMI output
- SDK & API



R49G

A Business Phone as well as an Intercom Guard Unit

Akuvox
Open A Smart World



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

R49G

A Business Phone as well as an Intercom Guard Unit

Smart Intercom Guard Unit

As a guard unit in an intercom system, R49G provides versatile features for security personnel.

-  Audio/video intercom calls with residents and visitors
-  Remote door opening for visitors during calls
-  Live video streaming from a door phone camera
-  Security audit of alarm logs
-  SMS group messaging



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

SIP Door Intercoms

(Smart and Stylish Building Access)

**New
Launch!**


SIP Video Door Intercom



Akuvox S539
 10 inch Video
 Door Phone, IP66,
 IK08,
 Face Recognition



Akuvox S532
 Linux video
 door phone,
 BLE, Camera,
 NFX,
 Numeric
 Keypad



Akuvox E12S/E12W
 SIP Video Door Bell
 with Relay, with Wi-Fi in
 E12W, ONVIF,
 IP65 Compliant



Akuvox R20B
 SIP Video Intercom
 with
 Two/Three/Four/Five(
 2/3/4/5) Buttons,
 ONVIF, IP65
 Compliant



Akuvox R20K
 SIP Video Intercom
 with Keypad and RF
 card reader, ONVIF,
 IP65 Compliant



Akuvox R29CT
 SIP Android Door
 Phone with Facial
 Recognition & Finger
 Priting, Display: 7" IPS
 LCD touchscreen, BLE,
 IP65, IK06



Akuvox E16C
 SIP Video Door Phone with
 Facial Recognition, ONVIF,
 IP65 Compliant
 (MD01 – Wrist Temp.)
 MD02 – Forehead Temp.)

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010


Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

**New
Launch!**

SIP Video Door Intercom



Akuvox S535
5" Touchscreen Linux
VDP, Face, Card, PIN,
BLE & QR code



Akuvox X910
Single-Button
Package Detection
Door Phone



Akuvox E13S
SIP Video Door Phone
with Single Button
IP65, ONVIF, PoE




Akuvox 25A
SIP Video Door Phone
with Single Button
IP65, ONVIF, PoE,
Linux

SIP Video Door Intercom



Akuvox X912S
 SIP Vandal-resistant Video Door Phone, ONVIF, IP65 Compliant



Akuvox E11R
 SIP Video Intercom with one Button, ONVIF



Akuvox E21V/A
 Vandal-resistant Emergency Intercom, Camera Resolution of 3M pixels, IK10, Panic Button, Dust-proof (IP65) Two Way Audio



Akuvox E20S
 Vandal-resistant SIP Emergency Intercom



Akuvox R20A
 3 Watt Speaker, 2 MP Camera, 1 Call Button, Water-proof & Dust-proof: IP65



Akuvox X916S
 Starlight Camera, HDR, Android 9.0, and Facial Recognition, Display: 13" fully-color IPS LCD, Water-proof & Dust proof: IP65, IK07



Akuvox SR01
 Security Relay, It ensures that the door remains securely locked, even if the door phone is dismantled or vandalized. Works X916, X912, R20K, R20B, R20A, E16

S539

Industry-first Metaverse
Android Door Phone



Built-in Avatar



Support Two-factor
Authentication



Dedicated Camera
for QR Code

WATCH NOW ▶





S535

5-Inch Facial Recognition Door Phone

Expandable with Functional Modules

WATCH NOW ▶

Akuvox

Open A Smart World




S532

Retrofitting-Friendly
Smart Video Door Phone

S532 at a Glance

Display

2.8", non- touchable



Camera

2M pixels, automatic lighting



Numeric keypad



RF Card Reader

13.56MHz & 125kHz,
NFC



Output Relay

2 output relays
for the door opener



Line Out

1 line out



Interface

Wiegand, RS485,
4 input ports,
and TF card slot



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Seamless Building Entry Experiences

Four door unlocking methods, including cards, PINs, Bluetooth, and mobile apps, are available with S532, catering to various user preferences. The touchless Bluetooth-enabled access is especially efficient.

PIN codes



Mobile app



IC/ID cards



Bluetooth



NFC



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Akuvox S539

10" Android Door Phone

- 10" fully-color touch display provides ultra-wide viewing angles
- IP66 & IK08
- 120° wide-angle 5MP starlight and HDR camera
- A dedicated QR camera for QR code scanning
- Customizable motion detection zone
- Face verification accuracy >99%, face comparison speed <0.2s per person, false recognition rate<0.1%;
- Multiple verification methods including: facial recognition, NFC, 13.56MHz and 125kHz access cards, Bluetooth, and QR code
- Support ingenious and ergonomic screw-driving method for installation



Cohesive Technologies Pvt. Ltd


Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Akuvox Smart
Intercom


AKUVOX E11R

Stylish and space-saving, Akuvox E11R is a SIP video door phone specially designed for villas, houses and apartments.



Diverse Door Entry Features

Live video streaming, access control, motion detection, and more combine to guard your sites.



Live video streaming



Support 13.56MHz
& 125kHz RF cards



NFC



Motion detection



Night vision

ONVIF®

PoE

Wiegand

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

E11R at a Glance

Akuvox
Open A Smart World

Output Relay

2 output relays (2A) for door opener

Interface

Wiegand and two input ports

Dimensions

145 x 85 x 27.5 mm

Camera


2M pixels, automatic lighting

Card Reader

13.56MHz and 125kHz

Call Button

1 call button






reddot winner 2022



GOOD DESIGN
AWARD 2022



E12 (S/W/N)

Smart Video Door Phone

Compact, Stylish and Versatile,
Perfect for Every Front Door



Space-efficient



IP65 rating



Smart home
integration

WATCH NOW ▶



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

E12 at a Glance






Akuvox E12

Compact SIP Video Door Phone

- Real-time 2-way talk
- Live camera viewing
- Cloud or local based storage
- Rated for outdoor use
- Mobile app compatible
- Integrated with any SIP device





E13S

Feature-rich
& Stylish Entry-Level
Door Phone

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



E13S at a Glance



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



AKUVOX R20B

Certified for outdoor usage and easy to install, Akuvox R20B is a compact SIP video door phone with up to 5 call buttons. It is typically used in villas, houses and apartment buildings.



R20B

Compact SIP Video Door Phone

- Two-Five buttons with nameplates
- RFID (13.56MHz & 125KHz)
- NFC
- SIP
- ONVIF
- IP65



R20B at a Glance

Output Relay

2 x relay out (NO/COM/NC)

Auxiliary Interface

Wiegand port, RS485 and two input ports

Dimensions

180 x 85 x 24mm

Camera


2M pixels with infrared sensor & light sensor

Card Reader

13.56MHz & 125kHz, NFC

Call Button

Up to 5 speed dial buttons





Diverse Door Entry Methods

Users can select any of the following door unlocking methods that suit their individual preferences.



IC/ID cards



NFC



App




Remote DTMF

Selectable Number of Call Buttons

R20B with two to five speed dial buttons can be selected for different application scenarios.



High Compatibility with 3rd-party Systems



Access control systems



Video surveillance systems



Magnetic door sensors

Adapted to Diverse Weathers and Climates

IP65 resistance protects R20B against rain, sleet or snow. Also, R20B is able to work in a wide range of temperature from -30°C to 65°C (-22°F~149°F).



Akuvox

Open A Smart World

AKUVOX R20K

Space-saving and highly compatible, Akuvox R20K is a compact SIP video doorphone certified for outdoor usage. It is typically used in apartment and office buildings.



R20K

SIP Video Door Phone with Numeric Keypad

- Numeric keypad
- RFID (13.56MHz & 125KHz)
- NFC
- SIP
- ONVIF
- IP65





Akuvox R20K

Slim SIP Video Intercom with Keypad and RF card reader

- Front panel : Aluminum alloy
- Output Relay: 2 output relays for door opener
- Water-proof & Dust-proof: IP65
- Wide-angle camera: 120°
- PoE (IEEE802.3af, Power-over-Ethernet)
- Two-way video communication over IP networks with Echo Cancel
- Complies with SIP standard for easy integration in every SIP PBX
- Installation: Surface Mount




IP65

ONVIF®



PoE



Wiegand



- In-wall
Mounting
Accessories



- On-wall
Mounting
Accessories

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Akuvox R20K

SIP Video Door Phone



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010


Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Weather-proof Design

R20K is Certified for Outdoor usage

IP65 resistance protects it against rain, sleet or snow.



Diverse Door Entry Methods

Tenants can select any of the following door unlocking methods that suit their individual needs


PIN codes, IC/ID cards, NFC, Remote DTMF

Ideal for Environments with Limited Space

With a space-efficient design, R20K can be installed in places where most door phones can't go.



High Compatibility with 3rd-party Systems




Adapted to Extreme Temperatures

With intelligent temperature coping mechanisms, R20K is able to work in a wide range of temperature from $-30^{\circ}\text{C}(-22^{\circ}\text{F})$ to $65^{\circ}\text{C}(149^{\circ}\text{F})$.

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



E16C

UPGRADE YOUR BUILDINGS WITH SMART DOOR PHONE ON A BUDGET



Facial Recognition




Mobile Access



Temperature Detection
(optional)





E16C

5" Facial Recognition Door Phone

- 5" touch screen
- Dual cameras
- Facial recognition
- Multiple access control (PIN, RFID, NFC, Bluetooth)
- Expandable for temperature detection
- IP65

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Akuvox E16C

Facial Recognition Door Phone

Akuvox
Open A Smart World




Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010


Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Mobile app



Facial recognition




NFC



QR codes



PIN codes



IC cards



Akuvox E16C

Facial Recognition Door Phone

- H.264 video and G.722 audio codec
- Display: 5" IPS LCD capacitive touch screen 1280x720
- Camera: 2 Mega pixels, WDR
- Water-proof & Dust-proof: IP65
- PoE (IEEE802.3af, Power-over-Ethernet)
- Support Wiegand, RS485, 13.56MHZ Card reader
- Complies with SIP standard for easy integration in every SIP PBX
- Installation: support Surface Mount
- Body Temperature Detection (Optional)



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



36.2°C

Smart COVID-19 Features

E16 helps businesses comply with governments' COVID-19 guidelines while reducing manpower resources.



Non-contact forehead temperatures detection (optional)



Non-contact wrist temperatures detection (optional)



Non-contact face mask detection

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



E18C

7" Face Recognition Door Phone

- 7" touch screen
- Dual cameras
- Facial recognition
- Multiple access control (PIN, RFID, NFC, Bluetooth)
- Expandable for temperature detection
- IP65
- LTE optional



X910

Single-Button Package Detection Door Phone

- Aluminum Pannel
- Starlight camera(150° horizontal)
- Dedicated camera for package monitoring
- QR code scanning
- Multiple access control (RFID, NFC, Bluetooth)
- IK08& IP65





X912

Vandal Resistant Door Phone

- 4" touch screen
- Dual cameras (the main one a starlight)
- Wave to unlock
- QR code scanning
- Facial recognition
- SIP
- Sensitive touch keypad
- Multiple access control (PIN, RFID, NFC, Bluetooth)
- IK10 & IP65

WATCH NOW ►

Touchless Entry Experiences

X912 offers innovative wave-to-unlock, door unlocking via Bluetooth, face recognition access, and QR code credentials, some of which allow users to gain door entry without lifting a finger.




Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Top-notched Audiovisual Quality

X912 allows users to enjoy supreme audio and video communication powered by top-of-the-line hardware and technologies.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





Akuvox X912S

Vandal-resistant Video Door Phone for High-end Buildings

- Front panel: Stainless steel
- Video resolution: up to 1920x1080p
- Multi-way Unlock: Face, IC/ID Card, PIN and BLE
- Display: 4 Inch, color TFT LCD, touchable
- Camera: 2M pixels
- Water-proof & Dust-proof: IP65
- SIP v1 (RFC2543), SIP v2 (RFC3261)





X912K

Vandal Resistant Door Phone

- 4" touch screen
- Dual cameras (the main one a starlight)
- Wave to unlock
- QR code scanning
- Facial recognition
- SIP
- Physical keypad
- Multiple access control (PIN, RFID, NFC, Bluetooth)
- IK08 & IP65



X915

8" Android Door Phone

- 8" touch screen
- Dual cameras (the main one a starlight)
- QR code scanning
- Facial recognition
- Android 12.0 OS
- SIP
- Multiple access control (PIN, RFID, NFC, Bluetooth)
- IK10 & IP66





X916S

The World's Smartest Android Door Phone

- 13" touch screen
- Dual cameras (the main one a starlight)
- QR code scanning
- Facial recognition
- Android 9.0 OS
- SIP
- Multiple access control (PIN, RFID, NFC, Bluetooth)
- 4G (optional)

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



X916S

Akuvox
Open A Smart World



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010


Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Frictionless and Secure Door Entry



No cards or keypad codes are required.
Your face is your identity.



Face liveness detection fends off facial
authentication spoofing attacks.

E20

SIP Emergency Intercom

- 316 grade stainless steel
- SIP
- PoE only
- IK10
- Indoor only
- Size: 100x100x38mm



E21V

SIP Video Emergency Intercom

- 316 grade stainless steel
- 2 relays
- SIP
- ONVIF



E21A/V

Vandal-Resistant Emergency Intercom

Akuvox
Open A Smart World



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

E21A/V

Vandal-Resistant Emergency Intercom

Akuvox
Open A Smart World

Ruggedized Design for Harsh Outdoor Environments



IK10

E21A is IK10-rated, the highest in the impact protection rating, which enables it to handle almost any environmental factors.



Premium Speech Quality in Any Situation

A natural communication experience as loud and crystal clear as if conversing face to face.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies



R20A

Compact SIP Video Door Phone

- Slim
- One button
- RFID (13.56MHz & 125KHz)
- NFC
- SIP
- ONVIF
- IP65

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



R20A

Palm-Size Doorphone

Akuvox
Open A Smart World



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

R20A

Palm-Size Doorphone

Akuvox
Open A Smart World


Ideal for Environments with Limited Space

With a space-efficient design, R20A can be installed in places where most door phones can't go.



Premium Speech Quality in Any Situation

Visitors can enjoy crystal clear audio communication with residents as if conversing face to face.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

R25A at a Glance



Cohesive Technologies Pvt. Ltd


Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com




Flexible Access Solutions

Multiple entry options are supported, including IC/ID cards, NFC, mobile app, and indoor monitors, providing flexible and convenient access solutions.




IC cards



ID cards



NFC



Mobile app



Indoor monitors

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



High-Resolution Camera

Equipped with a 4MP camera, 2K resolution, and WDR technology



Wide-Angle Coverage

Fisheye lens with a 150° horizontal and vertical viewing angle



Exceptional Image Clarity

Leveraging its high-performance camera, R25A delivers vivid image details and vibrant colors even in challenging lighting conditions and ensures comprehensive scene capture while minimizing blind spots.

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





R29CT

The World's First Android Door Phone with Facial Recognition & Fingerprinting

- H.264 video and G.722 audio codec
- Android OS V5.1 for any 3rd party software or customization
- Display: 7" IPS LCD capacitive touch screen 1280x800
- Camera: Dual camera for anti-counterfeit
- Bluetooth, and Wireless feature
- Support fingerprint identification
- Water-proof & Dust-proof: IP65
- Collision-proof: IK06
- PoE (IEEE802.3af, Power-over-Ethernet)
- Support Wiegand, 13.56MHZ & 125KHZ Card reader

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



SR01

Security Relay

- Plastic
- Relay out
- Input
- RS485
- Size : 31x56x24mm



SR01

Enhance Building Security at a Minimum Cost



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



SR01

Enhance Building Security at a Minimum Cost

Akuvox
Open A Smart World

Fit Most Standard Installation Boxes

With an ultra-compact form, SR01 can be easily placed in standard installation boxes, allowing it to be used in most countries and regions.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Work with the Following Akuvox Door Phone Models



X916



X912



E16



R20A



R20K



R20B

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Diverse Door Entry Methods for SIP Door Intercoms

Mobile App	Face Recognition	NFC	QR Codes	PIN Codes	IC/ID cards	Bluetooth	Remote DTMF
							
E11R, E12S/W, R20B, R20K, E16C, X912S, X916S, R20A	E16C, X912S, X916S	E11R, E12S/W, R20B, E12S/W, R20A	E16C, X912S, X916S	E12S/W, R20K, E16C, X912S	E11R, E12S/W, E16C, X912S, X916S, R20A	E12S/W, X912S	E11R, E12S/W, R20B, R20K, X916S



Onvif Compliant For All SIP Door Intercoms Models





IP65 Compliant for all SIP Door Intercoms models except E11R

Selectable Number of Call Buttons
R20B with two to five speed dial buttons can be selected for different application scenarios.



Only in R20B – Selectable Number of Call Buttons






(R20B/R20K) High Compatibility with 3rd-party Systems -Access Control Systems, Video Surveillance Systems, Magnetic door sensors

E16C integrating with various 3rd-party systems, such as time attendance and visitor management systems




Temperatures Detection(Wrist & Forehead)
Optional in E16C



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Smart Access Control for Modern Buildings

(Hands-free. Mobile-enabled. Easy Integration)

Access Control Units



Akuvox A01
RFID Access Control
Terminal



Akuvox A02
RFID+Keypad Access
Control Terminal



Akuvox A03
Bluetooth + RFID
Access Control Terminal



Akuvox A08
Card Reader
+ Bluetooth
QR Code Scanner



Akuvox A05C
Facial Recognition,
Bluetooth
(Support wrist &
Forehead
Measurement
MD01+ MD02)



Akuvox A092S/A094S
Smart access controller
for 2 doors / 4 doors
Supports up to 50,000
cards and 100,000
access logs

A01

Smart, Compact, and Stylish
Access Control Terminal

- Toughened Glass & Aluminum Alloy
- RFID (13.56MHz & 125KHz)
- NFC
- 1 port interface for relay out
- Wiegand (W26/W34/W58) protocol
- IP65
- Card Capacity: 20,000
- Event Log: 100,000



A02

Smart, Compact, and Stylish
Access Control Terminal

- Touch Keypad & Aluminum Alloy
- RFID (13.56MHz & 125KHz)
- NFC
- 1 port interface for relay out
- Wiegand (W26/W34/W58) protocol
- Multi-factor authentication
- IP65
- Card Capacity: 20,000
- Event Log: 100,000



■ Two Devices in One

Two Devices in One

A02 is a card reader as well as a door controller, saving much cost for building operators. When a credential is read and access is granted or denied by A02, A02 also triggers the door lock to take appropriate actions.





Card Reader



Door Controller

■ Flexible Credential Options/Easy Deployment & Fit for Outdoor Environment



A03

Compact and Stylish Access Control Terminal

- Toughened Glass & Aluminum Alloy
- RFID (13.56MHz & 125KHz)
- NFC
- 1 port interface for relay out
- Wiegand (W26/W34/W58) protocol
- BLE 5.0
- IP65
- Card Capacity: 20,000
- Event Log: 100,000

Cohesive Technologies Pvt. Ltd


Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Wave-to-unlock Access

A03 offers flexible credential options, including BLE, NFC, and RFID. Users can wave a hand to unlock doors when A03 is linked to the Akuvox My MobileKey app via the BLE.



Two Devices in One

A03 is a door controller and a reader in one, which means it can work standalone or be networked with other systems.



Card Reader



Door Controller

Installer-friendly Deployment

Supporting PoE, A03 only requires a network cable for installation. With a compact size, it is perfect for buildings with limited installation space.



PoE support



Space-efficient



IP65 rating



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



A05

Facial Recognition Access Control Terminal

- 5" LCD
- Dual cameras
- Facial recognition
- Multiple access control (RFID, NFC)
- Optional Bluetooth
- Expandable for temperature detection
- IP65



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

Akuvox A05C

Output Relay

1 output relay for door opener

Interface

Wiegand, RS485, and 1 input port

Storage

Face Capacity: 20,000
Card Capacity: 20,000
Event Capacity: 50,000



Camera

2MP dual-lens camera, WDR

Display

5' screen LCD with 1280 x 720 resolution

Card Reader

13.56MHz and NFC

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Akuvox A05C

Bluetooth + Facial Recognition Access Control Terminal

- Visible light facial recognition
- Better hygiene with touchless biometric authentication, fever and mask detection
- Anti-spoofing algorithm against photo and video attack
- 20,000 face capacity & 20,000 card capacity
- Multiple verification methods including: face, cards and QR codes
- Stand-alone operation
- Configuration via web browser



Cohesive Technologies Pvt. Ltd


Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



■ Flexible Authentication

Mobile app



NFC



Face recognition



QR codes



IC cards



Cohesive Technologies Pvt. Ltd


Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



■ Future-Proof Face Recognition Access

A05 offers fast, safe and reliable access control via face recognition, which adapts to your facial changes over time.



Speed: <0.2S

Capacity: up to 20,000
face templates

Anti-spoofing: effective against
photos or videos

Accuracy: >99.7%



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Akuvox
Open A Smart World

A08

Minimal Footprint, Mighty Unlocking

The Akuvox A08 is a cutting-edge access control terminal featuring a compact profile and advanced unlocking capabilities, ensuring robust security without compromising efficiency.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Card Reader

125kHz and 13.56MHz
and NFC



Output Relay

output relay for door opener



Interface

1 x Wiegand, 2 x input ports,
and 1 x RS485



BLE 5.0



QR Code Scanner



Dimensions

50 x 140 x 26.7 mm



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Flexible Access Methods for Enhancing User Experiences

Despite its slim profile, the A08 offers four types of door unlocking options, providing users with a seamless and convenient experience catered to diverse user preferences.



QR codes



IC/ID Cards



PIN codes



Bluetooth

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



A094

Smart and Stylish 4 Door Controller

- SGCC
- 8 port interfaces for Relay out
- 4 port interfaces for Wiegand Readers
- 13 port interfaces for Input
- 4 port interfaces for RS485
- Backup battery
- Tamper proof alarm
- Card Capacity: 50,000
- Event Log: 100,000



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

A092S

Smart access controller for 2 doors

- Supports TCP/IP communication and web interface for management;
- Supports up to 50,000 cards and 100,000 access logs;
- Supports multi-door interlock function ;
- Supports RS-485, Wiegand protocol for accessing card readers;
- Supports emergency door release(EDR);
- Supports tamper proof alarm;
- Easy to establish large-scale access control system with Akuvox ACMS;
- Power supply: 100~240VAC 50/60Hz;





EC33

Elevator Access Controller

- 32-channel Elevator Control
- 10/100M Ethernet
- Large storage for 20,000 card holders and 100,000 logs
- RS485 port
- Fire Alarm input
- Works with Akuvox SmartPlus



ACR-CRP12

Vehicle Access Control

- Plastic
- Wiegand port
- RS485 port
- Provides UHF identification up to 10m
- IP66 Rating for outdoor usage
- Dimension: 308.5 x 308.5 x 67.5mm

UHF-TAG11

Ultra-high frequency windshield tag

- Base material: PET
- Antenna manufacturing method: aluminum etching
- Operating frequency: 860~960MHz
- Dimension: 110 x 45mm
- Working temperature: -20°C ~ +50°C






ACR-CID01

Card Reader

- Plastic
- Mult-technology reader supporting 125kHz, 13.56MHz, BLE, NFC
- Power by USB (5VDC, 0.5A)
- Plug and Play
- Dimension: 66.8 x. 104.7 x 12.1mm

Cloud & SmartPlus



Smart Indoor Monitor

(Comfort and security for home via one screen)

SIP Indoor Units

**New
Launch!**

**Akuvox S567(W)**

Android 12 OS, 10.1-inch, Quad speakers, Wi-Fi 6(optional)

**Akuvox S562(W)**

7" capacitive touch screen, Linux Two-way

**Akuvox S563(W)**

8-inch capacitive touch screen, Android 12 OS, Two-way (WiFi Optional)

**Akuvox S565(W)**

10-inch capacitive touch screen, Linux Wi-Fi (Optional)

**Akuvox IT88S**

Android 9 OS; 10-inch screen, Two-way

SIP Indoor Units



Akuvox X937
15.6" Surveillance +
Intercom AI Monitor



Akuvox C312S
SIP Audio Indoor unit
(Linux Version),
Display 2.3 Inch,
Touchscreen



Akuvox C313S/W
SIP Indoor unit
(Linux Version)
Display 7 Inch,
Touchscreen



Akuvox X933S/W
SIP Indoor unit
(Android Version)
Display 7 Inch,
Touchscreen



Akuvox C319A
SIP Indoor unit
(Android 9.0 Version)
Display 10 Inch,
Touchscreen



red^{dot} winner 2023

S567(W)

10.1" Android Indoor Monitor

- Android 12 OS
- Built-in Wi-Fi 6 feature(optional)
- 10" touch screen
- 1280x 800 resolution
- Excellent audio experience with front speakers
- Automatically adjust the screen brightness
- Voice changer feature
- 12.7mm installation thickness
- Built-in smart voice assistant



10.1 Inch
Touchscreen

android 12



WATCH NOW ▶



Akuvox S567W

10" Android Indoor Monitor

- Built-in Wi-Fi 6 feature
- Two-way audio communication
- Automatically adjust the screen brightness
- Built-in smart voice assistant
- Support voice changer
- Complies with SIP standard for easy integration with SIP-capable PBXes;
- Powered by PoE or external source;
- Support US or European electrical wall box mounting



Akuvox
Open A Smart World



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



S562(W)

Linux Indoor Monitor

- Linux OS
- 7" touch screen
- 1024 x 600 resolution
- Excellent audio experience with front speaker
- Eight-channel alarm inputs and one built-in relay
- 13mm installation thickness
- Optional Wi-Fi
- Desk mount available



7 Inch
Touchscreen



Linux




WiFi

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



S562-V

Linux Indoor Monitor

- Linux OS
- 7" touch screen
- 1024 x 600 resolution
- Excellent audio experience with front speaker
- Eight-channel alarm inputs and one built-in relay
- 13mm installation thickness
- Optional Wi-Fi

S563(W)

Android 12 OS

- 8 inch capacitive touch screen
- 1280x800 resolution
- Two-way communication
- Powered by PoE or external source
- Support 2.4G Wi-Fi connection



android 12

Third-party app integration

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



S565

10-Inch Linux SIP Video Indoor Monitor

The Akuvox S565 is a 10-inch SIP video indoor monitor that runs on the Linux OS. It features a stylish industrial design and a high-resolution touchscreen display, supporting high-quality video & audio communication and is suitable for mid-range housing markets.

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

10-inch capacitive
touch screen



Support
EU/US
standard electrical box

Dimension
278x164x22.8mm



Eight channel inputs and
one embedded relay



Two-way audio
communication



Wall-mounted & Desktop

Support **RS485**



1280x800 resolution
IPS LCD display



WiFi

Built-in Wi-Fi (Optional)

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010


Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



X937

15.6" Surveillance + Intercom AI Monitor

- 15.6" touch screen with 1920 x 1080 resolution
- Android 14 OS with Google GMS certification
- 8GB RAM and 32GB ROM
- Built-in 5MP camera
- One HDMI input
- CCTV system integration
- Automatic brightness adjustment
- Ai assistant
- Eight-channel alarm inputs and two built-in relays





reddot winner 2023

IT88

10" Android Indoor Monitor

- Aluminium housing panel
- Android 9.0 OS
- 10" touch screen
- 1280x800 resolution
- Dual speakers
- Built in browser & IPPBX
- Optional 1MP camera
- Optional Wi-Fi & bluetooth
- SDK & API
- In-wall version available



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com






Akuvox C312S

Introducing Akuvox's Upcoming
Touchscreen Audio Indoor Monitor



Compact & Stylish

Mounted anywhere in a house or an apartment, C312S fits attractively into any interior design.




Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





Premium Speech Quality in Any Situation

The resident can enjoy crystal clear audio communication with visitors as if conversing face to face before remotely granting or denying access.



Crystal Clear Audio

Akuvox C313S/W

Compact but Powerful Indoor Monitor

- 7" capacitive touch screen with energy saving mode
- Reception of a HD picture from the door communicator
- Two-way communication based on SIP v2.0 protocol
- Powered by PoE or external source
- Supports US or European electrical wall box mounting
- C313W – Built-in WiFi



C313 at a Glance

Akuvox
Open A Smart World



8 channel inputs
and 1 embedded relay

7" capacitive touch screen



Support RS485

800 x 480 resolution



Dimensions:
200.2 x 132.2 x 27.2 mm



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





Premium Audio and Video Quality

Residents can enjoy crystal clear audio communication with visitors as well as seeing them as if conversing face to face before remotely granting or denying access.



Crystal Clear Audio

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





WATCH NOW ►

X933(S/W)

Luxury Smart Indoor Monitor
Perfect for Your Home



Italian Industrial
Design



AI-powered Voice
Assistant



Smart Home
Integration

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com






Akuvox X933S/W

Android Indoor Monitor for Smart Home Solution

- 7" touch screen with 1280 x 800 resolution
- Excellent performance with Android 9.0 OS
- Eight-channel inputs and two built-in relays
- Dual-microphone for noise reduction
- Support 3rd-party apps
- White color housing available
- In-wall mounting version available
- X933W (Built-in WiFi)



C319A



Powered by Android 9.0

WATCH NOW ▶

Easy Smart Home Integration

With an Android 9.0 OS, it's effortless to integrate C319 with home automation systems, making it one device for intercom and smart home control.



Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com



Smart Indoor Monitor Specially Designed for Older Individuals



AI-powered Voice Assistant



Work with Telecare Pendants



Built-in SIP Server



▲ C319

Akuvox C319A

Smart Indoor Monitor for Residents of All Ages



-  Android 9.0 OS
-  10-inch capacitive touch screen
-  1280 x 800 resolution IPS LCD display
-  Optional 1MP camera
-  HD audio & video communication
-  Built-in BLE 4.2 & 2.4GHz Wi-Fi
-  Support RS485
-  Eight channel inputs and two embedded relays

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

C319A



Powered by Android 9.0

Easy Smart Home Integration

With an Android 9.0 OS, it's effortless to integrate C319 with home automation systems, making it one device for intercom and smart home control.



Doubling as a SIP Server



- Instant on-device operation and maintenance
- No hassle of managing additional servers on site
- Rich and scalable call features

2-Wire IP Video Intercom

2-Wire IP Video Intercom

2 Wire SIP Video Door Phone



Akuvox R20A-2
2 Wire SIP Video Door Phone, PoE, ONVIF & IP65 Compliant

2 Wire SIP Video Door Phone



Akuvox R20K-2
2-Wire SIP video door phone with a numeric keypad.

2 Wire SIP Video Indoor Monitor



Akuvox C313W
7" indoor monitor
Linux

2 Wire IP Network Switch



Akuvox NS-2
Long Data Transmission Distance

2 Wire IP Network Converter



Akuvox NC-2
Support PoE Output



R20A-2

2-Wire SIP Video Door Phone

- Support 2-wire transmission
- Slim
- One button
- RFID (13.56MHz & 125KHz)
- NFC
- SIP
- ONVIF
- IP65



R20K-2

2-Wire SIP Video Door Phone


- Support 2-wire transmission
- Slim
- Numerical keypad
- RFID(13.56MHz & 125KHz)
- NFC
- SIP
- ONVIF
- IP65



C313W-2

2-Wire SIP Indoor Monitor

- Support 2-wire transmission
- Linux OS
- 7" touch screen
- 800x480 resolution
- Support Wi-Fi



NS-2

2-wire IP Network Switch


- Support multi-level cascade
- 6 pairs of 2-wire port
- Super long transmission distance
- Powerd by 48VDC or 24VDC
- Rail mounting installation



NC-2

Ethernet to 2-Wire Adapter

- Support PoE Output
- Long transmission distance via 2-wire cable
- Support for paired use or use with Akuvox NS-2
- Powered by 48VDC unit or NS-2




Akuvox 2-Wire Adaptor Kit


Ethernet to 2-Wire Adaptor Kit

- Support PoE input and output
- Long transmission distance via 2-wire cable
- Powered by PoE


Facilitate Intercom Upgrades over 2-Wire Cables



System Diagram



Features



Receive call and unlock door for visitors from anywhere, right from the smartphone

Software Solutions


(Intuitive software specially designed for intercom application.)



Akuvox SmartPlus

Akuvox SmartPlus, a smart cloud-based intercom service for residential buildings, caters to the on-the-go lifestyles by offering residents smartphone-based building access and simplifies property access management for property owners and managers.

Cloud & SmartPlus





SmartPlus App

The SmartPlus App allows residents to see and talk to visitors, open doors, monitor building entrances and issue virtual keys from their smartphones, which offers an elevated building entry experience.

Preview

See who is at the entrance before answering the call




Video Calling

See and talk to visitors with live video before buzzing them in remotely



Door Unlocking

Open doors using the "Open Door" button of the app or Bluetooth or through a standard phone call



Virtual Key

Issue time-limited QR code keys and guest PINs



Push Notification

Get instant notifications of incoming calls



Door Release Log

Access to date- and time-stamped photos of door release events




Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





WATCH NOW ▶

Property Management Portal

The web-based property access management portal of Akuvox SmartPlus offers a bunch of remote-working features that greatly enhance building operation efficiency.

- Manage all properties of multiple sites from a single interface
- Access to time- and date- stamped photos of all door entries
- Assign time-limited PINs to delivery or service people
- Easy posting of community announcements
- Easy integration with existing building systems

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com





ACMS

PC-based Access Control Management System for Small and Medium Businesses

- Staff information management
- Device management
- Access control management
- Access to detailed access logs



My MobileKey

My MobileKey include 2 operation mode to open door.

Tap to unlock: Open My MobileKey and tap the door you want to access to open the door.

Wave to unlock: You can just wave your hand in front of the device to open the door without removing the phone from your pocket or bag.



Akuvox SDMC

On-premise Software for Community-wide Intercom System Management

- Batch deployment of devices automatically
- Real-time video monitoring
- Access control management
- Messaging and ad pushing



Akuvox FacePro

PC-based Facial Data Management Software for Intercom Devices

- Automatic search and connection of intercom devices
- Facial image import or facial data capture
- Addition, modification, and deletion of facial data stored on devices
- Facial data synchronization between devices and the software
- One-click facial data sharing between different devices



Akuvox Sight

PC-based Intercom Software for Akuvox Intercoms

- Multi-screen intercom video monitoring
- Remote door unlocking
- Audio or video call



Akuvox PC Manager

PC-based Management Software for Intercom Configuration

- Automatic search and connection of intercom devices
- Addition, modification, and deletion of intercom configuration
- Batch intercom configuration and software upgrading

Solutions (Tier 1 – Tier7)

WATCH NOW ▶

7-Tier Security for Multi-Apartments

TIER - 1

Society Entry Gate

GUARD ROOM

Guard Phone R49G

**ACCESS
CONTROL**



X912



E16C



QR/FACE/RFID

LPR CAMERA

Access
Control



AKUVOX CARD READER (ACR-CPR12)

AKUVOX UHF TAG


AAA 000
Vehicle Number Plate

Our Solutions

7-Tier Security for Multi-Apartments

TIER - 2

Lobby Entry



Visitor Dial to Flat No. 6
or use RFID Card / Temp. Keys



SmartPlus App



(Resident)

LOBBY VIDEO DOOR PHONE



X912



R20B



E16C



R20K



R29CT



S539



S532



X915S



PIN Codes



QR Code



Face Recognition




RFID Cards

Our Solutions

7-Tier Security for Multi-Apartments

TIER - 3

Lift Management



TIER - 4

Individual Flat



Our Solutions

7-Tier Security for Multi-Apartments

TIER - 5

Emergency Announcement



SIP Speaker



Ceiling Speaker



Horn Speaker



Our Solutions

7-Tier Security for Multi-Apartments

TIER - 6

Common Area Surveillance




TIER - 7

SOS from Common Area




Our Solutions


SOS –ECB –Cloud Control Command Centre –SIP-Surveillance



Home Security on Cloud with Integration to Alarm Ports : Fire ,Breakage ...



Surveillance & Paging : Centralised System : Holistic Approach with SIP and ONVIF




Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohtechologies.com **Web:** www.cohesiveglobal.com

Community Calling! Cloud



Use Case Scenarios for Smart Intercoms



Smart Intercom Solution for RESIDENTIAL

As the standard of living improves, there are higher security and convenience requirements for modern residential living. This has posed new challenges to the traditional intercom, which is monofunctional and antiquated or doesn't function.

Highlights of Akuvox Smart Intercom Solution

- Build an extensive community-wide communication system
- Work with mobile phones and landlines
- Integrate home automation, video surveillance, and property management systems
- Summon elevator for the authorized visitors and send them to the designated floor
- App-based features, including video calls, remote door unlocking, alarm push notifications, and messages from the property management
- Remote system maintenance via a web browser

Solution Overview for Housing Society






Smart Intercom Solution for COMMERCIAL

Due to rapid changes in the global economy, enterprises need to overcome more business challenges such as improving competitiveness, reducing costs, and enhancing productivity. Intercom technology has come into play to help maximize the potential business growth by integrating people and technology.

Highlights of Akuvox Smart Intercom Solution

- Flexible door entry options including facial recognition, NFC, RF cards, and PIN codes
- Integrate access control, existing phone systems, video surveillance, and time & attendance systems
- Mobile app for business communication on the go

Solution Overview for Commercial






Smart Intercom Solution for ASSISTED CARE & HOSPITAL

As the world population ages, the healthcare system of every country faces significant challenges. Safety, trust, and security are the key contributing factors to older individuals' health and well-being, whether in their own homes or in a care home.

Highlights of Akuvox Smart Intercom Solution

- Converge the latest technologies, including SIP, Android, and AI
- Easy-to-use system specially designed for older individuals
- 100% transmission of SOS signal to service centers with < 10 seconds SOS signal delay
- Telecare pendant for making emergency calls and remote door unlocking via RF
- Connect with various alarm sensors, such as door magnet and smoke detector, for greater home security
- Remote operation and maintenance of a large number of devices
- Easy to upgrade the system for new features

Solution Overview






Smart Intercom Solution for PUBLIC SPACE

With terrorism and violence on the rise, the issue of safety, security, and real-time information is gaining significance. To protect people, assets, and property in the public space, we urgently need advanced intercom technologies to respond to situations in progress and manage everyday operations, public events, and emergencies.

Highlights of Akuvox Smart Intercom Solution

- Premium speech quality in any situation
- Vandal-resistant body with IK10 Rating
- Integrate with video surveillance systems
- Direct communication lines to alarm centers or security guards on patrol

Solution Overview for Public Space



Our Customer

Akuvox
Open A Smart World


Yusen Logistics

Eden
Retirement Living

Q PARK

arnido
"make your home smart"

Cleo County

APARTMENTS • PENTHOUSES
SECTOR - 121 • NOIDA

 **ANANDA**
DEVELOPMENT

88 AVENUE
SOCIETY IN PROSPERITY


SiPH

Cohesive Technologies Pvt. Ltd

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) - 201010

Email: info@cohesiveglobal.com **Web:** www.cohesiveglobal.com

COHESIVE
Technologies

Esteemed Customers



Enterprise




Education




Hospitality



Residential



Financial





THANK YOU

For Your Precious Time and Your Attention

THIS IS A CORPORATE WHAT'S APP ACCOUNT AND WE WILL SHARE THE UPCOMING NEWS ON THIS CHANNEL WHICH WILL MAKE US CONNECT MORE CLOSER AND PLEASE ADD US IN CONTACT LIST.



+91 7290000544



INFO@COHESIVEGLOBAL.COM , INFO@GRANDSTREAMINDIA.COM

WWW.COHESIVEGLOBAL.COM, WWW.GRANDSTREAMINDIA.COM

Corporate Office: CS-4, 5 & 6, 4th Floor, Ansal Plaza, Sector 3, Vaishali, Ghaziabad (U.P) – 201010 **Contact No** +91 120 4830000, +91 7290000544